

## ENERGY PERFORMANCE RATINGS

Doors and sidelights with no value have not been tested. According to the 2012 IECC (International Energy Conservation Code) standards, doors with no labels will have a default U-Factor of 0.5 and a default SHGC of 0.7.

U-Factor / Solar Heat Gain Coefficient (SHGC)

	<b>DOOR</b>	<b>SIDELIGHT</b>
Seville	<del>0.44</del> 0.22	-----
Aberdeen TDL - Clear Bevel IG	<del>0.44</del> 0.22	-----
Aberdeen TDL - Flemish IG	<del>0.44</del> 0.23	-----
Aberdeen Solid Panel	<del>0.44</del> 0.03	-----
Aberdeen Burlwood - Clear IG	<del>0.43</del> 0.27	-----
Aberdeen Burlwood - Flemish IG	<del>0.43</del> 0.27	-----
Trinity Solid Panel	<del>0.44</del> 0.03	-----
Trinity TDL - Clear Bevel IG	<del>0.44</del> 0.22	<del>0.43</del> 0.13
Trinity TDL - Flemish IG	<del>0.44</del> 0.23	<del>0.43</del> 0.13
Trinity Burlwood - Clear IG	<del>0.43</del> 0.27	<del>0.42</del> 0.17
Trinity Burlwood - Flemish IG	<del>0.43</del> 0.27	<del>0.42</del> 0.17
Pinehurst TDL - Clear Bevel IG	<del>0.44</del> 0.22	-----
Pinehurst TDL - Flemish IG	<del>0.44</del> 0.23	-----
Pinehurst Solid Panel w/ Speakeasy	<del>0.44</del> 0.1	-----
Pinehurst Solid Panel	<del>0.44</del> 0.03	-----
Wakefield Burlwood - Clear IG	<del>0.43</del> 0.27	<del>0.42</del> 0.17
Wakefield Burlwood - Flemish IG	<del>0.43</del> 0.27	<del>0.42</del> 0.17
Tuscany 6LT	<del>0.44</del> 0.1	<del>0.45</del> 0.04
Tuscany 3LT	<del>0.44</del> 0.1	<del>0.45</del> 0.04
Linville - Clear IG	<del>0.44</del> 0.1	-----
Briarcliff	<del>0.44</del> 0.1	-----
Kenmure w/ Speakeasy	<del>0.44</del> 0.1	<del>0.43</del> 0.1
Kenmure Solid Panel	<del>0.44</del> 0.03	<del>0.43</del> 0.1
Oconee	<del>0.44</del> 0.22	<del>0.44</del> 0.13
Keowee - Clear Bevel IG	<del>0.44</del> 0.22	-----
Meadowlands 6LT - Clear IG	<del>0.44</del> 0.22	-----
Meadowlands 6LT - Flemish IG	<del>0.44</del> 0.23	-----

	<b>DOOR</b>	<b>SIDELIGHT</b>
Meadowlands Solid Panel	<b>0.44</b> <b>0.03</b>	
Tiffany TDL 6LT 6/8	<b>0.44</b> <b>0.22</b>	
Tiffany TDL 6LT 8/0 - Clear Bevel IG	<b>0.44</b> <b>0.22</b>	<b>0.43</b> <b>0.13</b>
Tiffany TDL 6LT 8/0 - Flemish IG	<b>0.44</b> <b>0.23</b>	<b>0.43</b> <b>0.13</b>
Tiffany TDL 4LT 8/0	<b>0.44</b> <b>0.22</b>	
Alexandria TDL 4LT 6/8 - Clear Bevel IG	<b>0.44</b> <b>0.22</b>	<b>0.43</b> <b>0.13</b>
Alexandria TDL 4LT 6/8 - Flemish IG	<b>0.44</b> <b>0.23</b>	<b>0.43</b> <b>0.13</b>
Alexandria TDL 6LT 6/8	<b>0.44</b> <b>0.22</b>	<b>0.43</b> <b>0.13</b>
Alexandria TDL 4LT 8/0	<b>0.44</b> <b>0.22</b>	<b>0.43</b> <b>0.13</b>
Alexandria TDL 6LT 8/0 - Clear Bevel IG	<b>0.44</b> <b>0.22</b>	<b>0.43</b> <b>0.13</b>
Alexandria TDL 6LT 8/0 - Flemish IG	<b>0.44</b> <b>0.23</b>	<b>0.43</b> <b>0.13</b>
Alexandria TDL 9LT 8/0	<b>0.44</b> <b>0.22</b>	<b>0.43</b> <b>0.13</b>
Tiffany Solid Panel w/ Speakeasy	<b>0.44</b> <b>0.1</b>	
Tiffany Solid Panel	<b>0.44</b> <b>0.03</b>	
Madison	<b>0.44</b> <b>0.22</b>	<b>0.43</b> <b>0.13</b>
Brentwood	<b>0.44</b> <b>0.22</b>	<b>0.43</b> <b>0.16</b>
Lakewood	<b>0.44</b> <b>0.1</b>	<b>0.43</b> <b>0.16</b>
Louisburg	<b>0.44</b> <b>0.1</b>	<b>0.43</b> <b>0.16</b>
Colonial Six Panel	<b>0.44</b> <b>0.03</b>	<b>0.43</b> <b>0.16</b>
Belle Meade	<b>0.44</b> <b>0.03</b>	<b>0.43</b> <b>0.16</b>
Decatur Hendersonville	<b>0.44</b> <b>0.03</b>	<b>0.45</b> <b>0.05</b>
Milan San Donato		







