



DSA Master Crafted Doors

10681 World Trade Blvd. Raleigh, NC 27617

www.DSADoors.com

@DSADoors |    | (919) 781-3200



Custom Crafted Doors

Table of Contents



Introduction	1
Custom Unit Configurations	2
Custom Door Types	3
Exterior Doors	4
Coastal Rated Doors	6
Retrofit Doors	8
Luxe Pivot Doors	10
Interior Doors	12
Bifold Doors	12
Custom Timber Options	14
Factory Finish	15
Fiberglass Skin Options	16
Decorative Details	18
Custom Glass Options	19
Glazing Bead Profiles	21
Lite Grid Options	22
Panel Profiles	24
Our Team and How To Order	28
Custom Warranties	30
Inspiration Galleries	5, 9, 11, 13, 17, 20, 23

Introduction


Welcome to DSA Doors, where every entryway is a masterpiece waiting to be discovered. Our custom crafted doors are designed to transform the ordinary into the extraordinary, serving as the perfect blend of artistry, innovation, and precision engineering. We believe that your front door is more than just a gateway - it's a reflection of your style, a statement of your home's personality, and the first impression made on guests entering your home.

At DSA Doors, we take pride in our unmatched ability to bring any vision to life. Whether you're inspired by timeless elegance, modern minimalism, or a unique architectural style, our talented craftsmen work closely with you, to turn your ideas into reality. From selecting the finest timber and finishes, to creating bespoke glass and ironwork designs, every detail of our custom doors is thoughtfully tailored, to meet your individual needs.


Commitment to quality is evident in every step of our process, from the careful selection of materials, to the meticulous craftsmanship that goes into each piece. With DSA, you have the freedom to create a door that's not only functional, but also a true work of art that enhances the beauty and value of your home. We offer endless customization options, ensuring that each door created is as unique as the space it adorns.

Custom Process

Initial Concept




CAD Drawing




Custom Configurations

Single Door Configurations



Double Door Configurations



Custom Door Types

Exterior Doors



Traditional hinged door units, for exterior applications, for new construction homes.

Coastal Rated



Impact Rated (WBD or HVHZ) and DP-Rated units, for coastal regions and the state of Florida.

Retrofit Doors



Custom units for existing homes to meet any opening, including true radius and elliptical arches.

Pivot Doors




Bespoke exterior Luxe Pivot Doors, using the Fritsjurgens System M+ adjustable pivot hinge and automatic drop seals.

Interior Doors



Interior doors with limitless style possibilities. Prehung interior units or slab-only interior doors for pocket and barn doors.

Bifold Doors



Bifold doors available in 3, 4, 5 and 6-Leaf configurations, in custom sizes, timber, and door style options.

Custom Exterior Doors

Custom Styles

DSA's custom department is truly unparalleled in its ability to bring any vision for a home's entryway to life. Whether you're seeking to emulate a specific style admired in online inspiration photos, match existing architectural plans, or bring an entirely original design concept to fruition, the skilled craftsmen at DSA have the expertise and capabilities to make it happen.

Custom Sizes

DSA's custom department offers a wide range of door sizes, whether you choose to customize one of our standard styles or order a completely custom design.

Door Thickness: 1 3/4" or 2 1/4"


Door Max. Height: 12'0" | **Door Max. Width:** 4'0" (Single), 8'0" (Double)

Max. Sash-set Side Lite: 4'0" x 12'0" | **Max. Direct-set Side Lite:** 3'0" x 10'0"

Maximum side lite sizes are per each individually framed piece and may be limited due to glass type and size of individual panes of glass.

Max. Sash-set Transom: 48" tall | **Max. Direct-set Transom:** 36"

Maximum transom heights are per each individually framed piece. Maximum width of individual pieces is based on glass type and number of lites in transom. Direct-set transoms that are not wider than 4'0" can be up to 48" tall.



Inspiration Gallery

CSXD-MA1



CSXD-MA2




CSXD-WO3



CSXD-WA4



CSXD-KA5



CSXD-WO6



Coastal Rated Doors

DSA offers three types of Florida-certified Coastal Rated doors: **DP-50 Rated** (non-impact), **WBD Impact Rated** (Wind Borne Debris Region), and **HVHZ Impact Rated** (High Velocity Hurricane Zone). Due to differences in testing parameters and code requirements, limitations may exist in our certifications for the state of Florida that are not applicable in other coastal states. To ensure the appropriate rating is selected for your project, always confirm local building code requirements.

DP50 RATED

NON-IMPACT COASTAL RATED DOORS



Florida Certified
Non-Impact



NAMI Certified
states outside of Florida



Design Pressure +/- 50 psf



Certified for Air Infiltration



Inswing and Outswing doors



Single and Double doors
with side lite and transom
unit configurations

WBD IMPACT

WBD IMPACT RATED COASTAL DOORS



Florida Impact Certified
Wind Borne Debris Region



NAMI Certified
states outside of Florida



Design Pressure +/- 50 psf



Certified for Air Infiltration



Windborne Debris and Large
Missile Impact Resistant



Cyclic Pressure Differentials



Inswing and Outswing doors



Single and Double doors
with side lite and transom
unit configurations

HVHZ IMPACT

HVHZ IMPACT RATED COASTAL DOORS



Florida Impact Certified
High Velocity Hurricane Zone



Miami/Dade NOA
High Velocity Hurricane Zone



Design Pressure +/- 70 psf



Certified for Air *and* Water
Infiltration



Windborne Debris and Large
Missile Impact Resistant



HVHZ Cyclic Pressure
Differentials



Inswing and Outswing Single
and Double doors

Scan the QR code
to learn more
about our coastal
certifications and
codes online.



COASTAL DOOR STYLE LIMITATIONS

Direct-set side lites and/or transoms, our Slimline door construction, and doors with operable windows or panels, such as our Breezeport and Dutch doors, cannot be coastal rated. Elliptical arched units, which have multiple radiuses, are also not available for any coastal rated unit. Impact glass panes cannot be smaller than 14" x 14" or be complex, circular, or oval in shape.

DP-50 RATED DOORS

FLORIDA

Door Thickness: 1 3/4" or 2 1/4"

Door Max. Height: 8' | **Door Max. Width:** 3'0" | **Max. Sash-set Side Lite:** 14" | **Max. Sash-set Transom:** 34"

Unit Types: Standard Exterior Prehung Units and Bifold Units | **Timber & Glass:** All species and glass types

Prep Options: Ashland Multipoint or Double Bore (*Standard Exterior*) and GU Europa (*Bifold*)

Exterior Door Configurations: E-01, E-01B, E-01C, E-01+SL, E-03, E-04, E-08, E-09, E-12, E-14, E-17, and E-18

Site engineer evaluations are available for Florida non-Impact doors that exceed the above parameters with additional fees for certification. This includes larger units, Pivot Doors, and most unit configurations.

OTHER STATES

Door Thickness: 1 3/4" or 2 1/4"

Door Max. Height: 10'0" | **Door Max. Width:** 4'0" | **Max. Sash-set Side Lite:** 36" | **Max. Sash-set Transom:** 48"

Unit Types: Standard Exterior or Fixed Prehung units and Bifold Units | **Timber & Glass:** All species and glass types

Prep Options: Ashland Multipoint or Double Bore (*Standard Exterior*) and GU Europa (*Bifold*)

Exterior Door Configurations: E-01, E-01B, E-01C, E-01+T, E-01+SL, E-01+T+SL, E-03, E-04, E-04+T, E-04+SEGT, E-04+HRT, E-08, E-09, E-12, E-14, E-17, E-18, E-18B, E-19, and E-19B.

Double doors with side lites, or double doors with side lites and transoms, are available rated outside of Florida provided the side lites and transoms are installed in a separate opening from the double door.

IMPACT RATED DOORS

WBD IMPACT RATED

Door Thickness: 2 1/4" | **Max. Door Size:** 3'6" (7'0") x 8'0" or 3'0" (6'0") x 10'0" | **Max. Sash-set Side Lite:** 24"

Max. Sash-set Transom: 36" | **Unit Types:** Standard Exterior Prehung Units | **Timber:** All species

Glass: Laminated Impact Glass | **Prep Options:** Ashland Multipoint (Active & Passive required for double doors)

Exterior Door Configurations: E-01, E-01B, E-01+SL, E-03, E-04, E-04+T, E-04+SEGT, E-08, E-09, E-14, E-18, and E-19/B.

HVHZ IMPACT RATED


Door Thickness: 2 1/4" | **Door Max. Height:** 10'0" | **Door Max. Width:** 3'0" | **Unit Types:** Standard Exterior Prehung

Timber: All species | **Glass:** Laminated Impact Glass (HVHZ) | **Prep Options:** Ashland Multipoint (*Active & Passive*

required for double doors) and GU (*Single Doors only*) | **Exterior Door Configurations:** E-01, E-01B, E-01C, E-04, and E-17

Full-view doors with arched glass are not available HVHZ Impact Rated.

Retrofit Doors



After



Before

DSA can match any existing door specifications for a custom crafted new entry for your home. Whether replacing a single door with side lites and a transom, with taller double doors, or updating the design to complement your home renovations, DSA's custom doors can be tailored to meet your needs.

Elliptical



DSA offers elliptical templating services for existing openings with a multi-radius arch. Order one of our standard door styles to match an opening, or design an entrance for your custom retrofit, arched elliptical door.

To learn more about our laser templating and paper templating services, for existing elliptical units, please contact our Custom Design Department.



Aberdeen 6LT TDL

Inspiration Gallery



Luxe Pivot Doors



FritsJurgens System M+ Adjustable Pivot Hinge



- 1 Bottom Plate
- 2 Bottom M+ Pivot Hinge
- 3 Top M+ Pivot Hinge
- 4 Top Plate

Bespoke Luxe Pivot Doors

Our pre-engineered styles for Luxe Pivot Doors can be ordered in custom timber and custom sizes, in addition to bespoke styles available through our Custom Department. All DSA Luxe Pivot doors must be 3" thick, will utilize the FritsJurgens M+ Adjustable Hinge, and have an automatic drop seal installed along the top and bottom of the door.

Pivot Door Thickness: 3"


Pivot Door Max. Height: 12'0" | Door Max. Width: 6'0"

PIVOT LIMITATIONS: DSA does not currently offer double pivot doors, or free-swing pivot doors, for exterior applications. Interior applications of pivot doors may be customized to use a thinner door (2-1/4"), without the automatic drop seals and Multipoint lock. Oversized bespoke pivot doors may require design or construction alterations due to weight limitations.

Scan the QR code to learn more about our Luxe Pivot doors.



Pivot Door Configurations



Inspiration Gallery

CSPD-MA1



CSPD-WO2




CSPD-WA3




CSPD-WO4



CSPD-MA5



CSPD-WA6



Other Custom Doors

Custom Interior Doors

Elevate your interior with the exceptional craftsmanship of a DSA Interior Door. Choose from one of six styles, from our line of Solid Interior Doors, or customize your own design. Crafted with a finger-jointed softwood core, our 1-3/4" thick doors offer superior quality and durability. DSA offers a diverse range of interior door capabilities, including louvered, glazed, and unprepped door slabs, perfect for barn door or pocket door applications.

INTERIOR DOOR VENEER



View our line of solid interior doors, available via special order, by scanning the QR code or visiting us online.



Interior Door Thickness: 1-3/4"

Interior Door Max. Size: 4'0" X 12'0"

Glass: Single Glazed (or Double)

Single or Double interior doors that are not prehung are available. Double doors can be prepped with an astragal and head bolt, to be paired with a latching handle, or with roller catches at the top of each slab, for push/pull interior doors that do not lock or latch.

Please specify all pertinent installation details and specifications, for custom interior doors, prior to ordering.

Custom Bifold Doors

Expand your living space and seamlessly connect with the outdoors, year-round, with DSA's Master Crafted Bifold Doors. When closed, these doors flood your home with natural light and offer stunning, unobstructed views. Open them, and the glass panels fold effortlessly in an accordion-style, creating a wide open transition between your indoor and outdoor spaces. Utilizing our Bifold Doors, enhancing your home and maximizing entertaining areas has never been easier.

Bifold Door Thickness: 2-1/4"

Max. Unit Size: 16'0" X 10'0"



Max. DP-50 Rated Unit Size: 16'0" X 8'0"

Energy Star Rated Bifold Doors must be Full View doors, glazed with Argon filled glass (U-Factor 0.28).


Transoms not available for Bifold units.

BIFOLD UNIT CONFIGURATIONS



3 Leaf





4 Leaf



5 Leaf



6 Leaf






Custom Timber

Premium Timber


Choose from one of our four premium timber options for your custom door: Mahogany, Knotty Alder, White Oak, or American Walnut. Premium timber selections require an overhang for warranty coverage.




Mahogany
*Stain Grade or
Paint Grade (Primed)*



Knotty Alder



White Oak
Rift or Quarter Sawn



American Walnut

High Performance Timber

Choose from one of our two high performance acetylated timber options for your custom door: Accoya®, a modified stain grade timber; or Tricoya®, a durable high performance composite paint grade timber. High performance timber selections are engineered to endure outdoor climates and do not require an overhang for warranty coverage.



Accoya®



Tricoya®

Accoya and Tricoya units come with primed white FrameSaver™ jambs for doors under 108" in height. Stain grade Accoya jambs are a premium upgrade.

Tricoya units are only available primed white.



Factory Finish

DSA offers a proprietary, custom blend of water-based stain colors, carefully curated to highlight the natural beauty of our timber. When a factory finish is selected, our team of master artisans carefully sand and prepare each stain grade door component, before applying the stain color of your choice. All factory finished units are sealed with three coats of low-sheen semigloss clear coat. Availability of stain samples for custom Walnut and White Oak timber is limited and may require special ordering.

	COCO	PARCHMENT	CINNAMON	CHESTNUT	RUSSET
Mahogany					
Knotty Alder					
White Oak					
Walnut					

EBONY	PARCHMENT	CINNAMON	PRIMED
			

Paint-grade Mahogany doors are also available primed white.

DSA warranties exterior doors painted or stained black, produced only from one of our High Performance timber options.

Fiberglass Skin


Hybrid Evolution Doors are constructed using a hybrid wood and foam core with a durable fiberglass skin. Unlike other fiberglass doors, with an injected foam core, DSA's FiberSkin Doors utilize an extruded foam core, sandwiched between softwood layers, and encapsulated by a rigid hardwood frame.

Skin Textures



FIBER SKIN

Hybrid Evolution Exterior Doors



Fiberglass Exterior Doors

Door Thickness: 1-3/4" or 2-1/4"

Door Styles: Modern flush door styles with glazing options and custom groove designs and patterns available.


Max. Door Size: 46" x 96"

Skin Textures: Smooth, Mahogany, or Oak


Configurations: Single or double square top doors paired with optional direct-set side lites and transoms.

Frame Construction: Primed white composite or finger-jointed softwood jambs.

Fiberglass Groove Profiles



Modern Fiberglass Glazing Bead



Fiberglass Pivot Doors

Door Thickness: 2-1/4" | **Pivot Door Hardware:** Fritsjurgens System One Pivot Hinge

Styles: Modern flush door styles with glazing options and custom groove designs. Stile and rail glazed pivot doors with different lite options.

Flush Pivot Door Max. Size: 47" x 107" | **Stile & Rail Pivot Door Max. Size:** 60" x 107"


Skin Textures: Mahogany (Primed White or Tan skin)

Configurations: Fiberglass pivot doors are available with direct-set side lite or transom options.


Frame Construction: Primed white composite or finger-jointed softwood jambs.

Inspiration Gallery


CSXD-FB033



CSXD-FB034




CSXD-FBG035



CSPD-FB5LT




CSPD-FBGRV







Decorative Details

Custom Leaded Glass



Add a touch of sophistication to your custom door with our exclusive leaded glass and decorative iron options. Each piece is hand crafted, to reflect your personal taste, offering limitless design possibilities. From intricate glass patterns, to elegant wrought iron details, these elements will transform your entryway into a true work of art.

CAMING

- Black Patina
- Silver
- Brass
- Copper



Custom Wrought Iron




HAMMERED



SMOOTH

Custom Glass


Insulated Glass




Clear
Privacy Rating: 1




Clear Beveled
Privacy Rating: 1




Clear Seedy
Privacy Rating: 3




Clear Baroque
Privacy Rating: 4




Flemish
Privacy Rating: 5




Seedy Baroque
Privacy Rating: 5




Fluted
Privacy Rating: 6




Bamboo
Privacy Rating: 7



Gluechip
Privacy Rating: 7




Misty Creek
Privacy Rating: 8




Rain
Privacy Rating: 8




Grain
Privacy Rating: 8



Digital
Privacy Rating: 8




Sandblasted
Privacy Rating: 9




White Laminated
Privacy Rating: 9

Laminated Impact Glass




Clear
Privacy Rating: 1



Flemish
Privacy Rating: 5



White Laminated
Privacy Rating: 9




Turtle Tint
Privacy Rating: 1

Impact Rated doors
require Laminated
Impact Glass.


Door thickness
must be 2-1/4".

True Divided Lite
grids are not
available for
Impact Glass.

Inspiration Gallery



Glazing Bead




Ovolo

* Default profile for custom Mahogany doors.


The seven bead (sticking) profiles below are available for all wood species. If no specific profile is selected when ordering, the default profile will be chosen based on the wood species, door style, and panel profile (if applicable).

Additional beading profiles, beyond those shown, may be available for custom doors. Visual references can be supplied to our design team, for any specific custom specifications, or details, for your custom DSA door.




Modern

* Default profile for custom Accoya doors.




High Country


* Default profile for custom Knotty Alder doors.




No Glazing Bead (90°)



Craftsman



Milan (Flush Doors)




Square

Lite Grid Options

True Divided Lite (TDL)

Grid styles can be customized by using wider dividers to increase the overall size. If a profile is not specified at the time of order, our Custom Team will select a profile based on the style and wood species of your custom door.



High Country TDL (1-15/16")



Craftsman TDL (1-7/8")



Modern SDL




Ovolo TDL

Simulated Divided Lite (SDL)


**SDL Grids are required for Impact Glass*

SDL grid sizes can be wider than the sizes shown below. Muntin/shadow bars inside the glass are only available in 5/8" widths and can only be used for straight grids. Beveled and high-relief glass textures are not suitable for SDL grids. Other profiles, not shown below, are also available for SDL grids.



Modern SDL



Ovolo SDL



Inspiration Gallery



Panel Profiles

For your custom door, choose from our 16 panel profiles. Unless otherwise specified, standard DSA door styles ordered in custom sizes or timber will match the existing stock door style. If a profile is not specified at the time of order, default profiles will be selected based on the style and wood species of your custom door. Please note that some panel styles are not available across all wood species.




Ogee Raised Panel

Wood Species
Mahogany and Knotty Alder

Matching Glazing Bead
Ovolo

Default raised panel for Mahogany doors.




High Country Raised Panel

Wood Species
Mahogany and Knotty Alder

Matching Glazing Bead
High Country

Default raised panel for Knotty Alder doors.




Studio Raised Panel

Wood Species
Mahogany, Knotty Alder, Walnut, and White Oak

Matching Glazing Bead
Ovolo


Default raised panel for Walnut and White Oak.



Cove Raised Panel

Wood Species
Mahogany, Knotty Alder, Walnut, and White Oak

Matching Glazing Bead
Ovolo



* Raised panels are not available for Accoya or Tricoya doors.




Ogee with Raised Moulding

Wood Species

Mahogany and Knotty Alder

Matching Glazing Bead

Ovolo



Ogee V-Groove Panel


Wood Species

Mahogany and Knotty Alder

Matching Glazing Bead

Ovolo

Default grooved panel for Mahogany doors.



High Country V-Groove Panel



Wood Species

Mahogany and Knotty Alder

Matching Glazing Bead

High Country

Default grooved panel for Knotty Alder doors.



Recessed V-Groove Panel


Wood Species

Mahogany, Knotty Alder, Walnut, White Oak, and Accoya/Tricoya

Matching Glazing Bead

Craftsman or Square

Default grooved panel for White Oak, Walnut, & Accoya.




Plank V-Groove Panel

Wood Species

Mahogany, Knotty Alder Walnut, White Oak and Accoya/Tricoya

Matching Glazing Bead

Ovolo







Tapered Recessed Panel

Wood Species

Mahogany, Knotty Alder, Walnut,
White Oak, and Accoya/Tricoya

Matching Glazing Bead

Modern or High Country




Colonial Recessed Panel

Wood Species

Mahogany, Knotty Alder, Walnut,
White Oak, and Accoya/Tricoya

Matching Glazing Bead

Ovolo




Flat Recessed Panel (Tuscany)

Wood Species

Mahogany, Knotty Alder, Walnut,
White Oak, and Accoya/Tricoya

Matching Glazing Bead

Craftsman or Square



Modern Flat Panel


Wood Species

Mahogany, Knotty Alder, Walnut,
White Oak, and Accoya/Tricoya

Matching Glazing Bead

Modern

Default flat panel for Accoya doors.



Ovolo Flat Panel


Wood Species

Mahogany, Knotty Alder, Walnut,
White Oak, and Accoya/Tricoya

Matching Glazing Bead

Ovolo

Default flat panel for Mahogany doors.






Craftsman Flat Panel

Wood Species

Mahogany, Knotty Alder, Walnut,
White Oak, and Accoya/Tricoya

Matching Glazing Bead

Craftsman



High Country Flat Panel


Wood Species

Mahogany, Knotty Alder, Walnut,
White Oak, and Accoya/Tricoya

Matching Glazing Bead

High Country

Default flat panel for Knotty Alder doors.




Square Flat Panel

Wood Species

Mahogany, Knotty Alder, Walnut,
White Oak, and Accoya/Tricoya

Matching Glazing Bead

Square



Custom Inspiration



Our Team

At DSA Doors, our team is the heart and soul of everything we create. From our master craftsmen, to our dedicated sales and customer support staff, each member plays a crucial role in bringing your vision to life. With a passion for precision and a commitment to excellence, our team works tirelessly to ensure that every door we design not only meets, but exceeds, your expectations.

Our skilled artisans bring years of experience and a deep understanding of every project. They meticulously shape each piece of timber, hand-finish every surface, and assemble every detail with care, transforming raw materials into stunning works of art. Guided by a legacy of craftsmanship and innovation, these talent individuals treat each door as a unique creation, dedicated to capturing the essence of your style.

Supporting our craftsmen is a knowledgeable team of design experts and sales professionals, who are here to guide you through every step of the customization process. Whether you need assistance choosing the perfect style, selecting finishes, or coordinating with your builder or architect, our team is dedicated to making your experience both seamless and enjoyable. We pride ourselves on delivering exceptional customer service, ensuring that your journey to creating the perfect door is as smooth and rewarding as the finished product itself.

When you choose a DSA door, you're not just selecting a product, you're joining a family that values tradition, quality, and exceptional service. Our team is here to ensure that every step of your journey is guided by expertise, creativity, and a commitment to exceeding your expectations, and we invite you to experience the "DSA Difference" for yourself.

Let us open the door to a world of endless possibilities. With DSA Doors, your home's entrance is not just a point of entry - it's a masterpiece designed with you in mind, crafted by the best in the industry. Discover the artistry and passion of our team, and let us help you create a door that welcomes you home, with extraordinary style and elegance, every day.

How to Order a Custom DSA Door

Ordering a custom door from DSA is simple and tailored to meet your design needs.

1. Find a DSA Dealer

Connect with one of our trusted dealers to guide you through the process. Use our online [Find Your Dealer](#) tool to browse dealers in your area and locate local showrooms to view our doors in person.

2. Custom Quote and Specifications

Provide all necessary specifications and measurements to your DSA dealer including inspiration photos, technical drawings, rough sketches, or a detailed description of your desired design.

3. Custom Technical Drawing

DSA's Custom Design Specialists will work closely with your dealer to provide detailed drawings of your custom door and any additional specifications needed for your project.

4. Review and Confirm

Upon receipt of final CAD drawing and door specifications, all details for your custom unit should be reviewed, by dealer, before confirming.



Custom Warranties

PREMIUM TIMBER CUSTOM WARRANTY

Exterior or Interior Prehung Doors

All of DSA's exterior and interior prehung custom doors, created from Mahogany, Knotty Alder, White Oak, or Walnut, are offered with a 1-year Limited Manufacturer Warranty and an overhang is required. All glass options, excluding Impact-rated, include a 10-year warranty. Impact Glass includes a 1-year warranty.

All doors wider than 42", or taller than 96", will not be covered for warpage under the unit's respective warranty. It is recommended that doors taller than 80" have a Multipoint lock mechanism. For doors 120" and taller, installation of both the active and passive Ashland Multipoint locking system is strongly recommended.

For doors 42" or wider, a 2-1/4" slab thickness is recommended, if a Multipoint locking system will not be installed. 2-1/4" slab thickness is also recommended for doors taller than 108".

LUXE Pivot Doors

Premium wood species include Mahogany, Knotty Alder, White Oak, or Walnut . All prehung exterior pivot doors are offered with a 2-year Limited Manufacturer Warranty, require sufficient overhang, and must be equipped with a Multipoint locking mechanism, for warranty coverage.

HIGH PERFORMANCE TIMBER CUSTOM WARRANTY

Exterior Prehung Doors

All DSA exterior prehung doors, constructed of Accoya® or Tricoya®, are offered with a 5-year Limited Manufacturer Warranty and overhang is not required. All glass options, excluding Impact-rated, include a 10-year warranty. Impact Glass includes a 1-year warranty.

All doors wider than 42", or taller than 96", will not be covered for warpage under the unit's respective warranty. It is recommended that doors taller than 80" have a Multipoint lock mechanism. For doors 120" and taller, installation of both the active and passive Ashland Multipoint locking system is strongly recommended.

For doors 42" or wider, a 2-1/4" slab thickness is recommended, if a Multipoint locking system will not be installed. 2-1/4" slab thickness is also recommended for doors taller than 108".

LUXE Pivot Doors

All prehung pivot doors, constructed of from Accoya® or Tricoya® , are offered with a 5- year Limited Manufacturer Warranty and overhang is not required. LUXE Pivot doors must be equipped with a Multipoint Locking Mechanism for warranty coverage.

FIBERGLASS SKIN CUSTOM WARRANTY

Glazed FiberSkin exterior doors, either prehung or slab only, are backed by a 10-year Limited Manufacturer Warranty, including warranty against glass sealing failure and/or fogging. Solid FiberSkin exterior doors, with no glass, are offered with a 15-year Limited Manufacturer Warranty. Overhang is not required for fiberglass doors.

Visit us online at www.DSADoors.com/Warranty to view our full Manufacturer Limited Warranties.



Discover More Online



At DSA Doors, inspiration and creativity know no bounds. Whether you're exploring our catalog, viewing our custom gallery, or following us on social media, you'll find endless possibilities to design the custom door of your dreams.

@DSADoors



www.DSADoors.com

Find Inspiration at Your Fingertips

Whether you're dreaming of an elegant entryway or a sleek pivot door, our Inspiration Gallery is just a click away, offering a curated collection of stunning DSA doors to help you envision what is possible for your next project. Follow us on social media for more inspiring examples of custom quality DSA doors, real-world installations, and design tips to spark your creativity.

Explore our Full Collections

Looking for your perfect door? Browse our Standard Full Collection Catalog to explore a wide range of expertly crafted door designs, from traditional to modern. Online, you'll also find details about our premium hardware and accessory options, ensuring your custom door meets your design and performance needs.

Join the DSA Doors Community

Share your own custom DSA Door experience and connect with others, using the hashtag #DSADoors. Our online community features customer stories, design inspiration, and even your projects! Follow us on Instagram, Facebook, Pinterest, and LinkedIn to stay updated on the latest trends, behind-the-scenes content, and exclusive offers.

Exclusive Promotions and Content

Stay connected with DSA Doors on social media for access to exclusive promotions, new product launches, and special offers. As a follower, you'll be the first to know about limited-time promotions and design updates that can elevate your home.



