

Welcome

For centuries, homeowners have invested in wood doors for their versatility, dependability, and natural beauty. No other material can compare to the warm welcome and timeless luxury of a quality crafted wood door which, when properly maintained, will stand the test of time and be cherished for generations to come.

Our team at DSA Doors has worked tirelessly to produce superior wood doors for 50 years. We take pride in our work, so you can take pride in your home! At DSA, we are committed to enduring quality, excellent service, innovation, and sustainability. Our team of skilled artisans hand assemble each DSA door to the highest quality standards.

Choose from 32 expansive collections in this catalog, featuring contemporary, traditional, and modern exterior door styles, or browse our innovative offerings and quality wood door products online, at www.DSADoors.com. Looking for something unique? DSA offers an in-house Custom Design team, to assist in making your ideal entry a reality.

Whether renovating your existing home, constructing the house of your dreams, or restoring a historical residence to its original glory, DSA Doors offers a wide range of wood entry systems, as well as custom design options, suited to every architectural style.



Experience the

DSA DIFFERENCE

At DSA, our commitment to sustainability and craftsmanship is evident in everything we do. Our team of master artisans in Raleigh, North Carolina, collaborate with our network of dealers, builders, designers, and industry professionals to deliver a dynamic experience for even the most discerning homeowners. The "DSA Difference" extends to our dedicated dealer support, exceptional customer service, and valuable warranties that protect every door we create.

PREMIUM TIMBER

DSA doors are crafted from premium, sustainably-sourced hardwood timber exclusively from our partner's forest concession. Each door is masterfully engineered to deliver long-lasting durability and enhanced performance.

SUPERIOR CONSTRUCTION

Our traditional stile and rail doors feature a proprietary finger-jointed, laminated core constructed exclusively from hardwoods, ensuring exceptional durability, longevity, and performance. Additionally, the 11-ply core construction of our floating panels allows them to expand and contract seamlessly, adapting to varying climate conditions.

SUSTAINABILITY FOCUSED

DSA's exclusively sourced timber is managed in an environmentally, socially, and economically beneficial manner. Sustainable timber is one of the most environmentally friendly materials currently available, it is a truly renewable natural carbon sink. DSA doors are hand-assembled domestically at our solar-powered production facility in Raleigh, North Carolina.

ENERGY-EFFICIENT

Our CLPF™ (Cross Laminated Ply Foam) doors feature an innovative, energy-efficient design, with an environmentally friendly foam core, sandwiched between aluminum-lined hardwood veneers and strengthening LVL bars. CLPF doors are **Energy Star** rated, to increase your home's energy efficiency, and all of our glass is double glazed, with a soft low-emissivity coating, which minimizes thermal transfer into the home.

INDUSTRY EXPERTS

DSA's team comprises master craftsmen, manufacturing professionals, research and design specialists, custom design consultants, and dedicated service and sales representatives. Working collaboratively, our team delivers excellent customer service and support to homeowners, as well as our dealer network, while continuously improving and innovating our wood door products.











UNLOCK MORE ONLINE






If you're in the planning stage, still dreaming about a new entryway, follow us on Facebook, Instagram and Pinterest for new design ideas, innovations and inspirations every week. We are @DSADoors, and we're looking forward to connecting with you!











SIGNATURE *Door Collections*

Our Signature door collections showcase 11 of our most popular and stylish designs over the past two decades. From DSA's versatile Alexandria collection, boasting a wide range of options and door sizes, to our Wakefield collection, featuring ornate hammered wrought iron and leaded glass, our Signature line offers a diverse range of styles to complement both contemporary and traditional homes.

PAGES 13-71

Photo: E-01 Alexandria Classic 6LT TDL | pg 17



TRADITIONAL Door Collections

Transform your entryway with a timeless, traditional exterior door from our extensive collection of 15 distinctive styles. Our Beloved Classics line offers enduring staples suited to a variety of classic home styles. Explore the rustic yet refined options in our Old World Charm designs, or the ornate iron and glass accents of our Enduring Elegance series.

PAGES 72-87


Photo: E-09 Colonial 6 Panel | pg 76

MODERN Door Collections

DSA's Modern door collections offer a bold, high-quality selection of Mahogany exterior door styles to create your dream entrance. Browse through our 15 dynamic door styles featuring clean lines, uncluttered designs, and a range of modern hardware options. Doors crafted with our innovative CLPF™ (Cross Laminated Ply Foam) construction are Energy Star rated, to meet evolving homeowner and building requirements.



Photo: E-01 Milan Wide Lite | pg 91



FULL VIEWDoor Collections

Our high-performance Full View collections boast contemporary design and cutting-edge technologies to deliver impressive durability and versatile applications, all backed by our 5-year Accoya® warranty. Our Bifold doors and Slimline collection are Energy Star rated and feature our premium argon-filled glass, providing maximum viewing, without increasing your home's energy consumption.

PAGES 100-117

Photo: E-01+SL Slimline Model B Abstract | pg 108



At DSA, we emphasize the importance of purchasing products that are legitimately tested and approved to meet building code requirements and ensure the integrity of your home. DSA offers three tiers of coastal ratings that meet even the most stringest requirements: DP-50 non-impact doors, featured in this catalog, and WBD Impact or HVHZ Impact, available in our Port collection.



NON-IMPACT COASTAL RATED DOORS



Florida Certified Non-Impact



NAMI Certified states outside of Florida



Design Pressure +/- 50 psf

 \bigcirc

Certified for Air Infiltration

 \bigcirc **Inswing and Outswing doors**

Single and Double doors with side lite and transom unit configurations

Featured in this catalog

NOTE: Not all configurations or sizes available as DP-50. Rated in this catalog are approved for the state of Florida.

MRACT

BD HVHZ MPACT

WBD IMPACT RATED **COASTAL DOORS**



Florida Impact Certified Wind Borne Debris Region



NAMI Certified states outside of Florida



Design Pressure +/- 50 psf

Ø

Certified for Air Infiltration

Ø

Windborne Debris and Large Missile Impact Resistant

Inswing and Outswing doors

(

Cyclic Pressure Differentials

 \bigcirc

Single and Double doors with side lite and transom unit configurations


HVHZ IMPACT RATED COASTAL DOORS



Florida Impact Certified High Velocity Hurricane Zone



Miami/Dade NOA High Velocity Hurricane Zone



Certified for Air and Water Infiltration

Windborne Debris and Large Missile Impact Resistant

HVHZ Cyclic Pressure Differentials

Inswing and Outswing Single and Double doors

Our Port collection features stock WBD and HVHZ Impact Rated units available in five door styles with dozens of lite options to choose from.

View our Port Collection online, or scan the QR code.








INTERIOR DOORS

Bring DSA's master craftsmanship indoors with our new line of solid core interior wood doors. Our 8' tall interior doors are available in six different contemporary styles, with four premium wood veneer options, offered prehung in our finger jointed laminated jambs, with kerf-mounted bubble seals, to prevent door slamming and enhance acoustic





Sound Insulation

Our thicker, solid core interior doors muffle sound more effectively than hollow core doors.



Everyday Luxury

DSA's high-quality interior doors offer an everyday sense of luxury and refinement.



Lasting Durability

Carefully crafted with a solid wood engineered core, DSA's interior doors are built to last.



Primed White

White Oak


Mahogany

American Walnut





FritsJurgens® System M+ Adjustable Pivot Hinge



CUSTOM DOORS



Bring your inspiration to life with DSA's Custom Doors, by working with our Custom Design Team to curate the door of your dreams today!

CUSTOM DOOR DESIGNS

Whether following architectural plans or finding inspiration online, DSA can make your dream door a reality. From customized decorative details, wrought iron, and leaded glass designs, to unique and personalized features that accentuate your home's character and style, our full range of capabilities is at your fingertips when ordering a DSA custom door.

CUSTOM SIZES AND CONFIGURATIONS

Special order one of our standard doors or choose a custom design to meet your specific size and unit specifications. Whether creating a grand 12-foot tall entry, for new construction, or retrofitting an existing entryway, DSA can accommodate your requirements.

CUSTOM ENTRY SYSTEMS

DSA's custom capabilities extend to every door system we offer, including Coastal Rated, Bifold, Pivot, and Interior doors. We also offer custom individual door slabs that can be utilized for pocket or barn door applications.

CUSTOM TIMBER AND GLASS

Choose from six available wood species and fifteen glass types for your custom door. DSA also offers paint grade Mahogany and Tricoya doors, primed white and ready to paint.

PREMIUM TIMBER



Mahogany Knotty Alder



Walnut White Oak

HIGH-PERFORMANCE



Accoya® Tricoya®





MODERN FARMHOUSE

A welcoming style that has maintained its popularity among homeowners, which often features white siding, a dark gabeled roof, with rustic elements of exposed wood and black trim windows.

DSA Door Collections

Alexandria, Tiffany, Urban, and Breezeport

Our favorite: Alexandria Studio 4LT TDL | pg 31



CONTEMPORARY

A modern architectural style featuring oversized windows, allowing an abundance of natural light, with strong, clean lines, symmetry, and expansive floor plans.

DSA Door Collections

Slimline, Milan, Carlo, Bifold, and DSA's Luxe Pivot doors

Our favorite: Slimline Model A or B | pg 104



MODERN COTTAGE

A combination of English Tudor or French Country elements, such as steeply pitched roofs, arched entrys, large chimneys, and narrow windows, with modern materials and color palette.

DSA Door Collections

Pinehurst, Trinity, Briarcliff, Tiffany, Meadowlands, and Porthole

Our favorite: Pinehurst Full 8LT SDL | pg 62

MID-CENTURY MODERN

Simplicity in style featuring a wide open footprint, expansive windows and minimalist design, with asymmetrical features and geometric accents.

DSA Door Collections

Flores, Milan, Luca , Slimline with Modern grids, and Carlo.

Our favorite: Milan Thin Lite (Left or Right) | pg 91



CRAFTSMAN

An enduring bungalow style home, featuring an array of natural materials, a low-pitched gabled roof, overhanging eaves, with exposed rafters or beams, and a covered porch with large columns.

DSA Door Collections

Tuscany, Lakewood, Linville, Madison and Brentwood.

Our favorite: Tuscany 6LT TDL | pg 51



FRENCH PROVINCIAL

An estate style with brick and stone facade, steeply pitched hipped roof and symmetrical design elements, with large, arched windows and entry ways, often flanked with rounded towers.

DSA Door Collections

Wakefield, Trinity, Tiffany, and Aberdeen

Our favorite: Aberdeen Solid Panel | pg 45





BARN HOUSE

Framed similarly to traditional farmhouse barns, with a gambrel or gabled roof, barn-style homes feature timber cladding, vaulted ceilings, exposed beams and open, flexible living space.

DSA Door Collections

Oconee, Keowee, Meadowlands, and Dutch

Our favorite: Oconee 6LT TDL | pg 58



COLONIAL

Simple, traditional designs, with a brick or stone facade, feature a prominent front entrance, flanked by columns and symmetrical windows with decorative shutters, and steeply pitched roofs with side gables.

DSA Door Collections

Colonial, Louisburg, Decatur Hendersonville, Belle Meade, and Brentwood

Our favorite: Belle Meade Solid Panel | pg 75



SPANISH REVIVAL

Featuring textured stucco walls and an iconic lowpitched clay tile roof, with minimal overhang, and covered arched entry, this eclectic style is typically popular in the warm climates of Florida, Texas, and California.

DSA Door Collections

Hampshire, Aberdeen, Decatur Hendersonville, Meadowlands, Pinehurst, and Briarcliff.


Our favorite: Hampshire with Wrought Iron | pg 86



SIGNATURE DOOR COLLECTIONS

ALEXANDRIA

DSA MASTER CRAFTED DOORS



Alexandria offers the enduring warmth of wood combined with contemporary versatility. Featuring 1 Lite and five True Divided Lite designs, glazing selections include Clear, Clear Beveled, and Flemish. Underneath the visual appeal, precision-joined stiles and rails with an engineered core and floating panel construction help mitigate seasonal movement. Additionally, moisture-resistant adhesives, full-perimeter weather seals, and factory-applied finishes designed for UV and moisture protection ensure long-lasting performance. Available as single or double doors with seven sidelite and transom arrangements, DSA's Alexandria doors create an impressive entry that looks stunning from day one that maintains its integrity year after year.

Alexandria Door Styles





Etched 4LT 6'8" and 8'0"



Etched 6LT 6'8" and 8'0"



Leaded 3LT 8'0"

Modern Privacy Glass



Etched Glass



Leaded Glass



Also offered as one of our *Signature SDL Doors*, with narrow or traditional SDL grids, available in all Alexandria door sizes (see pg. 18).

Colonial Recessed Panel





*Optional flat moulding for exterior.

Classic Ogee Raised Panel





*Optional flat moulding for exterior.

Studio Raised Panel





*Optional flat moulding for exterior.

Flat Shaker Panel







*Optional flat moulding for exterior.


Bottom Panel Style Options


Alexandria door units are available with four bottom panel styles. Our Alexandria construction includes a flat. low-profile moulding around the panel and glass on the interior side of the unit. Upon request, the moulding can be added to the unit's exterior.





Classic Ogee





Alexandria glass and panel moulding, on unit's the interior side, is a part of the door construction and cannot be removed. Optional matching exterior moulding is a standard option for Alexandria units, included at no additional cost.



Alexandria Etched 4LT or 6LT 6'8" & 8'0"

Wood Species: Mahogany Stain Grade, 1 3/4" Glass: Sandblasted IG Low E with Clear grids

Unit Type: Non-Rated or DP-50¹

Panel: Recessed, Classic or Studio Raised, and Flat

Glazing Bead: Ovolo



Door Size 3'0" x 6'8"



E-04 Door Size 6'0" x 6'8"



Door Size 3'0" x 8"0"



Door Size 6'0" x 8"0"



E-01+T Transom Height 12", 14" Transom Style 1 Lite - Clear



E-01+SL | E-03 Side Lite Width 12", 14" Side Lite Style 1 Lite - Clear or Etched



Transom Height 12", 14" Transom Style 1 Lite - Clear or Etched



E-04+T Transom Height 12" Transom Style 1 Lite - Clear

¹ DP-50 Certification for the state of Florida does not include E-01+T and E-04+T configurations.

Alexandria Leaded 3 Lite TDL 8'0"

Wood Species: Mahogany Stain Grade, 13/4"

Glass: Fluted & Sandblasted IG Low E with Flat Black Caming

Unit Type: Non-Rated or DP-50¹

Panel: Recessed, Classic or Studio

Raised, and Flat

Glazing Bead: Ovolo



E-01 Door Width 3'0" Door Height 8'0"



Side Lite Width
12", 14"
Side Lite Style
1 Lite - Clear, Fluted
or Etched



Side Lite Width 12", 14" Side Lite Style 1 Lite - Clear, Fluted or Etched



Door Width 6'0" Door Height 8'0"



E-01+T
Transom Height
12", 14"
Transom Style
1 Lite - Clear



Transom Height
12", 14"
Transom Style
1 Lite - Clear, Fluted
or Etched



E-04+T
Transom Height
12"
Transom Style
1 Lite - Clear



Leaded Glass

1/2" Flat Caming

¹ DP-50 Certification for the state of Florida does not include E-01+T and E-04+T configurations.





Alexandria 1 Lite 6'8" & 8'0"

Wood Species: Mahogany Stain Grade, 1 3/4"

Glass: Clear or Flemish IG Low E

Unit Type: Non-Rated or DP-50¹

Panel: Recessed, Classic or Studio Raised, and Flat

Glazing Bead: Ovolo



E-01 Door Width 2'6", 2'8", 3'0" Door Height 6'8"




Door Width 2'6", 2'8", 3'0", 3'6" Door Height 8'0"



Side Lite Width 12", 14" Side Lite Style 1 Lite



E-04 Door Width 5'0", 5'4", 6'0" Door Height 6'8", 8'0"



E-01+T Door Width 3'0", 3'6" Transom Height 12", 14" Transom Style 1 Lite



E-01+SL Side Lite Width 12", 14" Side Lite Style 1 Lite



Unit Width 12", 14" x 3'0" x 12", 14" Transom Height 12", 14" Transom Style 1 Lite



Door Width 5'0", 5'4", 6'0" Transom Height 12" Transom Style 1 Lite

¹ DP-50 Certification for the state of Florida does not include E-01+T and E-04+T configurations or 3'6" wide doors.

Alexandria 3 Lite TDL 8'0"

Wood Species: Mahogany Stain Grade, 1 3/4"

Glass: Clear, Clear Beveled¹, or Flemish¹ IG Low E

Unit Type: Non-Rated or DP-50²

Panel: Recessed, Classic or Studio Raised, and Flat

Glazing Bead: Ovolo

1LT Transoms and Sidelites are only available In Clear (flat) or Flemish IG Low E.



E-01 Door Width 2'8", 3'0" Door Height 8'0"



E-04

Door Width 5'4", 6'0"

Door Height 8'0"



E-01+SL | E-03 Side Lite Width 12", 14" Side Lite Style 1LT or 3LT



Transom Size 3'0" x 12", 14" Transom Style 1LT



E-04+T
Transom Size
5'4", 6'0" × 12"
Transom Style
1LT, 4LT or 5LT



Door Width 5'4", 6'0" Transom Height 21" (R78") Transom Style 5LT



Unit Width
12", 14" x 3'0" x 12", 14"

Transom Height
12", 14"

Transom Style
1LT, 3LT, 4LT or 5LT



E-14
Unit Width
12", 14" × 3'0" × 12", 14"
Transom Height
21" (R78")
Transom Style
5LT



Clear



Clear Beveled



Flemish

¹ E-14 and E-04+SEGT 5LT Arched Transom only available in Clear Beveled or Flemish IG Low E.

² DP-50 Certification for the state of Florida does not include E-01+T and E-04+T configurations.





Alexandria 4 Lite TDL 6'8" & 8'0"

Wood Species: Mahogany Stain Grade, 1 3/4"

Glass: Clear, Clear Beveled¹, or Flemish¹ IG Low E Glazing Bead: Ovolo

Unit Type: Non-Rated or DP-50¹

1LT Transoms and Sidelites are only available In Clear (flat) or Flemish IG Low E.



E-01Door Width 2'6", 2'8", 3'0"
Door Height 6'8", 8'0"



Door Width 5'0", 5'4", 6'0" Door Height 6'8", 8'0"



E-01+SL | E-03 Side Lite Width 12", 14" Side Lite Style 1LT or 2LT



Panel: Recessed, Classic or Studio Raised, and Flat

Transom Size 3'0" x 12", 14" Transom Style 1LT or 2LT



Transom Size 5'0", 5'4", 6'0" x 12" Transom Style 1LT, 4LT or 5LT



Door Width 5'4", 6'0" Transom Height 21" (R78") Transom Style 5LT



Unit Width
12", 14" x 3'0" x 12", 14"

Transom Height
12", 14"

Transom Style

1LT, 3LT, 4LT or 5LT



Unit Width
12", 14" × 3'0" × 12", 14"

Transom Height
21" (R78")

Transom Style
5LT



Clea



Clear Beveled



Flemish

¹ E-14 and E-04+SEGT 5LT Arched Transom only available in Clear Beveled or Flemish IG Low E.

² DP-50 Certification for the state of Florida does not include E-01+T and E-04+T configurations.

Alexandria 6 Lite TDL 6'8" & 8'0"

Wood Species: Mahogany Stain Grade, 1 3/4"

Glass: Clear, Clear Beveled¹, or Flemish¹ IG Low E

Unit Type: Non-Rated or DP-50²

Panel: Recessed, Classic or Studio Raised, and Flat

Glazing Bead: Ovolo

1LT Transoms and Sidelites are only available In Clear (flat) or Flemish IG Low E.



Door Width 2'6", 2'8", 3'0" Door Height 6'8", 8'0"



E-04Door Width
5'0", 5'4", 6'0"
Door Height
6'8", 8'0"



E-01+SL | E-03 Side Lite Width 12", 14" Side Lite Style 1LT or 3LT



Transom Size 3'0" x 12", 14" Transom Style 1LT or 2LT



E-04+T
Transom Size
5'0", 5'4", 6'0" x 12"
Transom Style
1LT, 4LT or 5LT



Door Width 5'4", 6'0" Transom Height 21" (R78") Transom Style 5LT



Unit Width
12", 14" × 3'0" × 12", 14"

Transom Height
12", 14"

Transom Style
1LT, 3LT, 4LT or 5LT



Unit Width
12", 14" × 3'0" × 12", 14"
Transom Height
21" (R78")
Transom Style
5LT



Clear



Clear Beveled




Flemish

¹ E-14 and E-04+SEGT 5LT Arched Transom only available in Clear Beveled or Flemish IG Low E.

² DP-50 Certification for the state of Florida does not include E-01+T and E-04+T configurations.





Alexandria 8 Lite TDL 8'0"

Wood Species: Mahogany Stain Grade, 1 3/4"

Glass: Clear, Clear Beveled¹, or Flemish¹ IG Low E

Unit Type: Non-Rated or DP-50¹

Panel: Recessed, Classic or Studio Raised, and Flat

Glazing Bead: Ovolo

1LT Transoms and Sidelites are only available In Clear (flat) or Flemish IG Low E.



E-01Door Width 2'8", 3'0", 3'6"
Door Height

8′0″



Door Width 5'4", 6'0" Door Height 8'0"



E-01+SL | E-03 Side Lite Width 12", 14" Side Lite Style 1LT or 3LT



Transom Size 3'0", 3'6" x 12", 14" Transom Style 1LT or 2LT



E-04+T
Transom Size
5'4", 6'0" x 12"
Transom Style
1LT, 4LT or 5LT



E-04+SEGT

Door Width
5'4", 6'0"

Transom Height
21" (R78")

Transom Style

5LT



Unit Width
12", 14" × 3'0" × 12", 14"

Transom Height
12", 14"

Transom Style
1LT, 3LT, 4LT or 5LT



E-14
Unit Width
12", 14" × 3'0" × 12", 14"
Transom Height
21" (R78")
Transom Style
5LT



Clear



Clear Beveled



Flemish

¹ E-14 and E-04+SEGT 5LT Arched Transom only available in Clear Beveled or Flemish IG Low E.

² DP-50 Certification for the state of Florida does not include E-01+T and E-04+T configurations or 3'6" door widths.

Alexandria 12 Lite TDL 8'0"

Wood Species: Mahogany Stain Grade, 13/4"

Glass: Clear or Flemish IG Low E Unit Type: Non-Rated or DP-50¹ Panel: Recessed, Classic or Studio Raised, and Flat

Glazing Bead: Ovolo



E-01 Door Width 3'0", 3'6" Door Height

8'0"



Door Width 6'0" Door Height 8'0"



E-01+SL | E-03 Side Lite Width 12", 14" Side Lite Style 1LT or 4LT



Clear



Flemish



Door Width 3'0", 3'6" Transom Height 12", 14" Transom Style 1LT or 3LT



Door Width 6'0" Transom Height 12", 14" Transom Style 1LT, 5LT, or 6LT

E-04+T



Unit Width
12", 14" x 3'0" x 12", 14"

Transom Height
12", 14"


Transom Style
1LT, 3LT, 4LT or 5LT

E-09



¹ DP-50 Certification for the state of Florida does not include E-01+T and E-04+T configurations or 3'6" wide doors.

Alexandria SDL Grid Options



Wood Species: Mahogany Stain Grade, 1 3/4" Unit Configurations: E-01, E-01+SL, E-01+T, E-03, E-04, E-04+T, and E-09 **6′8″** Door Sizes: 2′6″, 2′8″, 3′0″ \times 6′8″ | Double: 5′0″, 5′4″, 6′0″ \times 6′8″ **8'0"** Door Sizes: 2'6", 2'8", 3'0", 3'6" x 8'0" | Double: 5'0", 5'4", 6'0" x 8'0" Glass: Clear or Flemish IG Low E Unit Type: Non-Rated or DP-50









Studio 6LT SDL

Studio 8LT SDL



Tiffany exterior doors boost curb appeal and provide a perfect complement to arched masonry and architectural features. With five classic Mahogany grid styles and two solid panel options, our Tiffany collection exemplifies charm, by creating a warm, inviting entry.



Tiffany 4LT TDL 8'0"



Tiffany 6LT TDL 6'8" and 8'0"



TIffany 8LT TDL 8'0"



Tiffany Diamond 7LT TDL 8'0''



Tiffany 9LT TDL 8'0"



Tiffany Solid Panel 8'0"



Solid Panel with Speakeasy 8'0''



Tiffany 4LT TDL 8'0"

Wood Species: Mahogany Stain Grade, 1 3/4" Glass: Clear Beveled or Flemish IG Low E Unit Type: Non-Rated or DP-50 Rated ² Panel: Ogee Raised Panel Glazing Bead: Ovolo



E-17Door Width 5'0", 5'4", 6'0"
Door Height: 8'0" (R78")



Door Width 5'0", 5'4", 6'0" Door Height 8'0" Transom Height 24" (R78")

E-19



E-19B

Door Width
5'0", 5'4", 6'0"

Door Height
8'0"

Transom Height
24"



Tiffany 8LT TDL 8'0"

Wood Species: Mahogany Stain Grade, 1 3/4" Glass: Clear Beveled or Flemish IG Low E Unit Type: Non-Rated or DP-50 Rated²



E-17 Door Size5'0", 5'4", 6'0" × 8'0"
(R78")

Tiffany 6LT TDL 6'8" & 8'0"

Wood Species: Mahogany Stain Grade, 1 3/4" Glass: Clear Beveled or Flemish IG Low E¹ Unit Type: Non-Rated or DP-50 Rated ² Panel: Ogee Raised Panel Glazing Bead: Ovolo



E-01 Door Width 3'0" Door Height 8'0"



E-01A

Door Width
3'0"

Door Height
8'0" (R78")



E-01B

Door Width
3'0"

Door Height
8'0" (R22")



E-17Door Width 5'0", 5'4", 6'0"
Door Height 8'0" (R78")



E-18
Unit Width
12" × 3'0" × 12"
Door Height
8'0" (R78")



Door Width 5'0", 5'4", 6'0" Door Height 8'0" Transom Height 24" (R78")



E-19B

Door Width
5'0", 5'4", 6'0"

Door Height
8'0"

Transom Height
24"

6'8" Doors



E-04Door Width 5'0", 5'4", 6'0"
Door Height 6'8"



E-17 Door Width 5'0", 5'4", 6'0" Door Height 6'8" (R78")

¹ Flemish IG Low E glass is only available for 8'0" door units.

² DP-50 Coastal Certification for the state of Florida does not include E-19 & E-19B unit configurations.

Tiffany Diamond 7LT TDL 8'0"

Wood Species: Mahogany Stain Grade, 1 3/4"

Glass: Clear Beveled IG Low E

Unit Type: Non-Rated or DP-50 Rated

Panel: Ogee Raised Panel Glazing Bead: Ovolo







E-01B Door Width 3'0" Door Height 8'0" (R22")

E-17Door Width 5'0", 5'4", 6'0"
Door Height 8'0" (R78")

Tiffany 9LT TDL 8'0"

Wood Species: Mahogany Stain Grade, 1 3/4"

Glass: Clear Beveled IG Low E

Unit Type: Non-Rated or DP-50 Rated




E-01B

Door Width
3'0"

Door Height
8'0" (R22")



E-17Door Width 5'0", 5'4", 6'0"
Door Height 8'0" (R78")




Tiffany Solid Panel with Speakeasy 8'0"

Wood Species: Mahogany Stain Grade, 1 3/4" Non-Operable Speakeasy: Clear IG Low E Unit Type: Non-Rated or DP-50 Rated Unit Configuration: E-17 (Arched Double Door)

Double Door Size: 5'0", 5'4", 6'0" x 8'0" (R78")

Panel Style: V-Groove Ogee Raised Panel



Tiffany Solid Panel 8'0"

Wood Species: Mahogany Stain Grade, 1 3/4"
Pane/Glazing Bead: Ogee Raised Panel, Ovolo
Unit Type: Non-Rated or DP-50 Rated

Transom Glass: Clear or Flemish IG Low E * Also available with non-operable Speakeasy.



E-01

Door Width
3'0"

Door Height
8'0"



E-01B

Door Width
3'0"

Door Height
8'0" (R22")



E-17Door Width 5'0", 5'4", 6'0"
Door Height 8'0" (R78")



E-19Door Size
5'4", 6'0" x 8'0"
Transom Height
24" (R78")



ABERDEEN

The timeless elegance of our Aberdeen collection has made this DSA door a signature staple, for homeowners and builders alike. Featuring dramatic arched raised panels with arched mahogany grids, ornate wrought iron grilles, or beveled glass with caming, our timeless Aberdeen doors will create a lasting impression for generations to come.



Aberdeen 1LT 6'8" and 8'0"



Aberdeen 6LT TDL



Abedeen Leaded 6LT TDL 8'0"



Abedeen Burlwood 6'8" and 8'0"



Abedeen Redwood 8'0"



Aberdeen Solid Panel 8'0"

Aberdeen 1LT 6'8" & 8'0"

Wood Species: Mahogany Stain Grade, 1 3/4"

Glass: Clear or Flemish IG Low E

Unit Type: Non-Rated or DP-501

Panel: Ogee Raised Panel Glazing Bead: Ovolo



E-01 Door Width 3'0" Door Height 8'0"



E-01B

Door Width
3'0"

Door Height
8'0" (R22")



E-04 Door Width 5'0", 5'4", 6'0" Door Height 6'8", 8'0"



E-17Door Width 5'0", 5'4", 6'0"
Door Height 6'8", 8'0" (R78")



E-19

Door Width
5'4", 6'0"

Door Height
6'8", 8'0"

Transom Height
24" (R78")

Aberdeen Leaded 6LT

Wood Species: Mahogany Stain Grade, 1 3/4"

Glass: Clear Beveled with Silver Caming

Panel/Glazing Bead: Ogee Raised Panel/Ovolo

Unit Type: Non-Rated or DP-50¹



E-04Door Width 5'0", 5'4", 6'0"
Door Height 8'0"



E-17Door Width 5'0", 5'4", 6'0"
Door Height 8'0" (R78")



¹ DP-50 Coastal Certification for the state of Florida does not include E-19 unit configurations.

Aberdeen 6LT TDL 8'0"

Wood Species: Mahogany Stain Grade

Door Thickness: 1 3/4"

Glass: Clear Beveled or Flemish IG Low E

Panel: Ogee Raised Panel Glazing Bead: Ovolo

Unit Type: Non-Rated or DP-50¹



E-01 Door Width 3'0" Door Height 8'0"



E-01B

Door Width
3'0"

Door Height
8'0" (R22")





E-04Door Width 5'0", 5'4", 6'0"
Door Height 8'0"



E-17Door Width 5'0", 5'4", 6'0"
Door Height 8'0" (R78")



Door Width 5'0", 5'4", 6'0" Door Height 8'0" Transom Height 24" (R78")

E-19



E-19B

Door Width
5'0", 5'4", 6'0"

Door Height
8'0"

Transom Height
24"

¹ DP-50 Coastal Certification for the state of Florida does not include E-19 and E-19B unit configurations.

Aberdeen Burlwood 6'8" & 8'0"

Wood Species: Mahogany Stain Grade

Door Thickness: 13/4"

Glass: Clear or Flemish IG Low E Unit Type: Non-Rated or DP-50¹ Panel: Ogee Raised Panel Glazing Bead: Ovolo



E-01 Door Width 3'0" Door Height 8'0"



E-01B Door Width 3'0" Door Height 8'0" (R22")



E-04 Door Width 5'0", 5'4", 6'0" Door Height 6'8", 8'0"



E-17Door Width 5'0", 5'4", 6'0"
Door Height 6'8", 8'0" (R78")



E-19
Door Width
5'4", 6'0"
Door Height
6'8", 8'0"
Transom Height
24" (R78")

¹ DP-50 Coastal Certification for the state of Florida does not include E-19 unit configurations.





Aberdeen Redwood 8'0"

Wood Species: Mahogany Stain Grade

Door Thickness: 13/4"

Glass: Clear or Flemish IG Low E Unit Type: Non-Rated or DP-50¹ Panel: Ogee Raised Panel Glazing Bead: Ovolo



E-01 Door Width 3'0" Door Height 8'0"



E-01B

Door Width
3'0"

Door Height
8'0" (R22")



E-04Door Width 5'0", 5'4", 6'0"
Door Height 8'0"



E-17Door Width 5'0", 5'4", 6'0"
Door Height 8'0" (R78")



E-19
Door Width
5'4", 6'0"
Door Height
8'0"
Transom Height
24" (R78")

Aberdeen Solid Panel 8'0"

Wood Species: Mahogany Stain Grade

Door Thickness: 1 3/4"

Glass: Clear Beveled or Flemish IG Low E

Unit Type: Non-Rated or DP-50¹

Panel: Ogee Raised Panel Glazing Bead: Ovolo



Door Width 3'0" Door Height 8'0"



E-01B

Door Width
3'0"

Door Height
8'0" (R22")



Door Width 5'0", 5'4", 6'0" Door Height 8'0"



Door Width 5'0", 5'4", 6'0" Door Height 8'0" (R78")



E-19Door Size
5'4", 6'0" × 8'0"
Transom Height
24" (R78")

¹ DP-50 Coastal Certification for the state of Florida does not include E-19 unit configurations.

BREEZEPORT



Let the outside in with DSA's Breezeport collection! Featuring operable glass panels, with durable fiberglass screens and a built-in weep system, this unique design style is a long-standing customer favorite. Adorned with exterior raised moulding, our Breezeport doors are also offered with a wide variety of privacy glass options.







Breezeport 4 Lite 8'0"



Breezeport 6 Lite 8'0"




Breezeport Full Lite 8'0"

Breezeport Operable Window Hardware

Mortised concealed hinges for operable breezeway window.









Breezeport 4 Lite 6'8" & 8'0"

Wood Species: Mahogany Stain Grade, 2 1/4"

Glass: Clear, Flemish, Rain, or Seedy Baroque IG Low E Operable Window Thumbturn: Black or Satin Nickel

Unit Type: Non-Rated Panel: Ogee Raised with Exterior Moulding



Door Width 2'8", 3'0" Door Height

6'8", 8'0"



Door Width 5'4", 6'0" Door Height 6'8", 8'0"



E-17Door Width 5'4", 6'0"

Door Height 8'0" (R78")

Breezeport 6 Lite 8'0"

Wood Species: Mahogany Stain Grade, 21/4"

Glass: Clear, Flemish, Rain, or Seedy Baroque IG Low E Operable Window Thumbturn: Black or Satin Nickel

Unit Type: Non-Rated Panel: Ogee Raised with Exterior Moulding



E-01 Door Width 2'8", 3'0" Door Height 8'0"



Door Width 5'4", 6'0" Door Height 8'0"



Door Width 5'4", 6'0" Door Height 8'0" (R78")

Insulated Low-E Glass



Clear



Flemish



Rain



Seedy Baroque

Breezeport Full Lite 8'0"

Wood Species: Mahogany Stain Grade

Door Thickness: 2 1/4"

Glass: Clear or Flemish IG Low E

Operable Window Thumbturn: Black or Satin Nickel

Unit Type: Non-Rated



E-01 Door Width 2'8", 3'0" Door Height

8'0"



E-04

Door Width
5'4", 6'0"

Door Height
8'0"



GU[®] Multipoint + Berkeley Gripset with Interior Knob

Due to the unique design of our Breezeport collection, interior lever handles, which would prevent the operable glass panel within the slab from opening, are not an option. By pairing the Berkeley Gripset handle with the GU Secury™ 3-Point Lock, DSA offers an interior square knob which is compatible with our Breezeport doors.

Also available as a Smart Lock, featuring the Danalock V3.

To find out more, see pages 125-127 in this catalog.



TUSCANY



DSA's Tuscany collection showcases the timeless, simple elegance of the American Craftsman style, allowing our premium Mahogany and quality construction to take center stage. Featuring vertical shaker panels, an optional dentil shelf, and three TDL grid styles, our Tuscany doors have maintained their popularity for decades.

Tuscany 3LT TDL 6'8" & 8'0"

Wood Species: Mahogany Stain Grade, 1 3/4"

Glass: Clear Beveled IG Low E Unit Type: Non-Rated or DP-50¹ Panel: Flat Recessed Panel Glazing Bead: Craftsman Optional Dentil Shelf: 3-Tooth



E-01 Door Width 3'0" Door Height 6'8"



E-01 Door Width 3'0" Door Height 8'0"



E-01+T

Door Width
3'0"

Transom Height
12", 14", 16"



E-01+SL | E-03 Side Lite Width 12", 14" Side Lite Style Full-View or 1LT



E-08 Side Lite Width 12", 14" Transom Height 12", 14", 16"

Tuscany 6LT TDL 6'8" & 8'0"

Wood Species: Mahogany Stain Grade, 1 3/4"

Glass: Clear Beveled IG Low E Unit Type: Non-Rated or DP-50¹ Panel: Flat Recessed Panel Glazing Bead: Craftsman Optional Dentil Shelf: 3-Tooth



E-01 Door Width 3'0" Door Height 6'8"



E-01 Door Width 3'0", 3'6" Door Height 8'0"



E-01+TDoor Width
3'0", 3'6"

Transom Height
12", 14", 16"



E-01+SL | E-03 Side Lite Width 12", 14" Side Lite Style Full-View or 2LT



E-08 Side Lite Width 12", 14" Transom Height 12", 14", 16"

¹ DP-50 Coastal Certification for the state of Florida does not include E-01+T configurations or 3'6" wide doors.

Tuscany Glencoe 8'0"

Wood Species: Mahogany Stain Grade, 1 3/4"

Glass: Clear Beveled IG Low E Unit Type: Non-Rated or DP-50¹ Panel: Tuscany Flat Panel Glazing Bead: Craftsman Optional Dentil Shelf: 3-Tooth



E-01

Door Width
3'0"

Door Height

8'0"



Door Width 3'0" Transom Height 12", 14", 16"



E-01+SL | E-03 Side Lite Width 12", 14" Side Lite Style Full-View



E-08 Side Lite Width 12", 14" Transom Height 12", 14", 16"

¹ DP-50 Coastal Certification for the state of Florida does not include E-01+T configurations.





URBAN



DSA's signature Urban Collection is constructed with acetylated Accoya®, a modified timber, engineered to withstand the natural elements to which wood doors are often susceptible. Our Accoya doors boast a limited 5-year warranty and do not require an overhang. Incorporating our CLPF™ (Cross Laminated Ply Foam) core and argon glass, our Urban Collection is Energy Star Rated with a U-Factor of 0.29.






Urban Configurations 8'0"


Wood Species: Accoya® (CLPF) Stain Grade, 1 3/4" Glass: Clear or Flemish IG Low E with Argon Gas Side Lite Width: 12" Transom Height: 12"

Unit Type: Non-Rated or DP-50¹

Single Door Size: 3'0" x 8'0" Double Door Size: 6'0" x 8'0" Panel: Modern Flat Panel Glazing Bead: Modern



¹ DP-50 Coastal Certification for the state of Florida does not include E-01+T, E-01+T+SL or E-04+T configurations.



KEOWEE



Embrace the beauty of timeless arched details paired with the charm of knotted wood. With a robust 2 1/4" thickness, and a beautiful Knotty Alder veneer, DSA's Keowee combines the warmth of rustic design with luxurious elegance. Featuring dramatic arched panels with vertical grooves and arched panes of traditional Clear Beveled glass, the Keowee will make a signature statement for years to come.

Keowee 6LT TDL 8'0"

Wood Species: Knotty Stain Grade, 2 1/4"

Glass: Clear Beveled IG Low E Unit Type: Non-Rated or DP-50 ¹ Panel: V-Groove High Country Raised

Glazing Bead: High Country



E-01

Door Width
3'6"

Door Height
8'0"



E-01A

Door Width
3'6"

Door Height
8'0" (R78")



E-17Door Width 5'0", 5'4", 6'0"
Door Height 8'0" (R78")



E-19
Door Width
5'0", 5'4", 6'0"
Door Height
8'0"
Transom Height
24" (R78")

¹ DP-50 Coastal Certification for the state of Florida does not include E-19 unit configurations or 3'6" wide doors.





The Oconee collection from DSA is an ideal entry door for contemporary farmhouse or barn-style homes, blending the beauty of rustic knotted wood with modernized styling. Available in a popular 6-lite grid design with Clear Beveled or Flemish glass, a variety of door sizes, and two panel options, our Oconee collection can be customized to meet your specific needs and personal style.

Oconee 6LT TDL 6'8" & 8'0"

Wood Species: Knotty Alder Stain Grade, 1 3/4" Glass: Clear Beveled or Flemish IG Low E

Panel/Glazing Bead: High Country Unit Type: Non-Rated or DP-50













E-01 Door Width 2'6", 2'8", 3'0" Door Height 6'8", 8'0"

Door Width 5'0", 5'4", 6'0" Door Height 6'8", 8'0"

E-04

E-03 Side Lite Width 12", 14" Door Height 6'8", 8'0"

E-09 Door Size 3'0" x 6'8", 8'0" Side Lite Width 12", 14" Transom Height

12", 14"

Bottom Panel Options

Choose from two High Country raised bottom panel styles, with smooth surface or vertical v-grooves.





PINEHURST



Elevate the charm of any home with DSA's Pinehurst, our signature collection of true-radius arched doors available in two timeless styles and four fully glazed lite options. Crafted from our premium Mahogany timber, our striking Pinehurst doors are an ideal entry for distinctive style homes.

Pinehurst 8LT TDL 8'0"

Wood Species: Mahogany Stain Grade, 1 3/4" Glass: Clear Beveled or Flemish IG Low E Panel/Glazing Bead: Ogee Raised Panel, Ovolo

Unit Type: Non-Rated or DP-50 ¹





Door Height 8'0" (R18")



E-17B

Door Width 5'4", 6'0" Door Height 8'0" (R32", R36")



Pinehurst Solid Panel 8'0"

Wood Species: Mahogany Stain Grade, 1 3/4" Non-Operable Speakeasy Glass: Clear IG Low E

Panel: V-Groove Ogee Raised Panel

Unit Type: Non-Rated



E-17B

Door Width 5'4", 6'0"


Door Height 8'0" (R32", R36")



Square Clavos



Round Clavos



Speakeasy Grilles Scroll or Straight



¹ Single door available DP-50 Rated with double bore only.

Pinehurst Full Lite 8'0"

Wood Species: Mahogany Stain Grade, 1 3/4" Glass: Clear IG Low E Glazing Bead: Ovolo

Unit Type: Non-Rated or DP-50 1



4LT SDL

7/8" Ovolo SDL

4LT Wide SDL

4 1/2" Ovolo SDL



E-01C

Door Size 3'0", 3'6" x 8'0" (R18", R21") E-17B

Door Size 6'0" x 8'0" (R36") E-01C

Door Size 3'0", 3'6" x 8'0" (R18", R21") E-17B

Door Size 6'0" x 8'0" (R36")

6LT SDL

7/8" Ovolo SDL



E-01C

Door Size 3'0", 3'6" x 8'0" (R18", R21") E-17B

Door Size 6'0" x 8'0" (R36") **8LT** SDL

7/8" Ovolo SDL



E-01C


Door Size 3'0", 3'6" x 8'0" (R18", R21") E-17B

Door Size 6'0" x 8'0" (R36")

¹ DP-50 Certification for the state of Florida does not include 3'6" wide doors. For states outside of Florida, DP-50 certification is for single doors only, without a multipoint locking system.



E-01C Pinehurst Full 4LT Wide SDL







The Trinity collection from DSA offers five stunning Mahogany door styles to complement a variety of architectural styles. Featuring an expansive 42-inch door width, flanked by matching side lites, our arched Trinity doors exude unparalleled luxury and timeless quality.







Trinity Tessera 1LT 8'0"



Trinity 2LT TDL 8'0"



Trinity 9LT TDL 8'0"



Trinity 12LT TDL 8'0"

Trinity 2 Panel 8'0"

Wood Species: Mahogany Stain Grade, 2 1/4" Glass: Clear Beveled or Flemish IG Low E Panel/Glazing Bead: Ogee Raised Panel, Ovolo

Unit Type: Non-Rated or DP-50 1



E-01A Door Width 3'6" Door Height 8'0" (R78")



E-18 Unit Width 14" x 3'6" x 14" Door Height 8'0" (R78")

¹ DP-50 Rated Trinity (3'6" wide doors) are not certified for the state of Florida.



Trinity Tessera 1LT 8'0"

Wood Species: Mahogany Stain Grade, 21/4"

Glass: Leaded Glass w/ Silver Caming

Panel/Glazing Bead: Ogee Raised Panel, Ovolo

Unit Type: Non-Rated or DP-50 ¹



E-01A

Door Width
3'6"

Door Height
8'0" (R78")



E-18Unit Width
14" × 3'6" × 14"

Door Height
8'0" (R78")

Trinity 2LT TDL 8'0"

Wood Species: Mahogany Stain Grade, 2 1/4"

Glass: Clear Beveled IG Low E

Panel/Glazing Bead: Ogee Raised Panel, Ovolo

Unit Type: Non-Rated or DP-50 ¹



Door Width 3'6" Door Height 8'0" (R78")



E-18Unit Width
14" × 3'6" × 14"
Door Height
8'0" (R78")

Trinity 9LT TDL 8'0"

Wood Species: Mahogany Stain Grade, 2 1/4"

Glass: Clear Beveled IG Low E

Panel/Glazing Bead: Ogee Raised Panel, Ovolo

Unit Type: Non-Rated or DP-50 ¹

Trinity 12LT TDL 8'0"

Wood Species: Mahogany Stain Grade, 2 1/4" Glass: Clear Beveled or Flemish IG Low E

Panel/Glazing Bead: Ogee Raised Panel, Ovolo

Unit Type: Non-Rated or DP-50 ¹



E-01A

Door Width
3'6"

Door Height
8'0" (R78")



E-18 Unit Width 14" × 3'6" × 14" Door Height 8'0" (R78")




Door Width 3'6" Door Height 8'0" (R78")



E-18 Unit Width 14" × 3'6" × 14" Door Height 8'0" (R78")

¹ DP-50 Rated Trinity (3'6" wide doors) are not certified for the state of Florida.



WAKEFIELD

Unlock elegance with DSA's Wakefield collection, featuring two traditional door styles with decorative hammered wrought iron and stunning Tessera leaded glass. Our Wakefield doors are offered with optional exterior raised moulding for a classic touch, and are available in single or double doors with the option of matching side lites.

Wakefield Burlwood 8'0"

Wood Species: Mahogany Stain Grade

Door Thickness: 1 3/4"

Glass: Clear or Flemish IG Low E Unit Type: Non-Rated or DP-50

Panel: Ogee Raised Panel (optional Exterior Moulding)
Glazing Bead: Ovolo





E-01

Door Width
3'0"

Door Height
8'0"



Side Lite Width 12", 14" Door Size 3'0" × 8'0"



E-04

Door Width
6'0"

Door Height
8'0"



E-04R

Door Width
6'0"

Door Height
8'0"

Exterior Raised Moulding

Wakefield doors are offered with optional exterior raised molding applied around Tessera glass and bottom panels.



Wakefield Tessera 8'0"

Wood Species: Mahogany Stain Grade,1 3/4" Glass: Tessera Leaded Glass with Silver Caming

Unit Type: Non-Rated or DP-50

Panel: Ogee Raised Panel (optional Ext. Moulding)

Glazing Bead: Ovolo



Door Size: 3'0" × 8'0"




Side Lite Width 12", 14"




Door Size: 6'0" × 8'0"



Silver Caming




SIGNATURE SDL




At DSA, we pride ourselves in offering a wide selection of quality wood doors that satisfy the unique needs of even the most discerning homeowner. With our Signature SDL (Simulated Divided Lite) doors, we are able to offer more styles and sizes, that are not stock options, for our Aberdeen and Alexandria Studio door collections. Our master artisans apply Mahogany grids directly to the glass of these 1-lite doors and custom grid designs may also be available through DSA's Custom Design Department.

SDL Profile and Sizes



Ovolo, 7/8" Narrow



Ovolo, 15/8" Traditional

Alexandria Studio SDL

Wood Species: Mahogany Stain Grade, 1 3/4"

Unit Configurations: E-01, E-01+SL, E-01+T, E-03, E-04, E-04+T, and E-09

6'8" Door Sizes: 2'6", 2'8", 3'0" x 6'8" | Double: 5'0", 5'4", 6'0" x 6'8" **8'0"** Door Sizes: 2'6", 2'8", 3'0", 3'6" x 8'0" | Double: 5'0", 5'4", 6'0" x 8'0" **Glass:** Clear or Flemish IG Low E **Unit Type:** Non-Rated or DP-50

SDL Size/Profile: Ovolo 7/8" or 1 5/8"



Aberdeen SDL

Wood Species: Mahogany Stain Grade, 13/4"

6'8" Unit Configurations: E-04 and E-17 | Double Door Sizes: 5'0", 5'4", 6'0" \times 6'8" **8'0"** Unit Configurations: E-01, E-01B, E-04 and E-17 | Single Door Size: 3'0" \times 8'0"

8'0" Double Door Sizes: 5'0", 5'4", 6'0" x 8'0"

Glass: Clear or Flemish IG Low E Unit Type: Non-Rated or DP-50

SDL Size/Profile: Ovolo 7/8"



Aberdeen 3LT SDL




Aberdeen 4LT SDL



Aberdeen 6LT SDL



Aberdeen 9LT SDL





Beloved Classics

The classic door styles featured in these seven cherished collections effortlessly enhance the beauty of Colonial, Cape Cod, Craftsman, and traditional-style homes, with their simple, yet elegant, design.

Featured Collections

Belle Meade Decatur Hendersonville

Brentwood Lakewood

Lousiburg Colonial

Madison



Old World Charm

Step back in time with our Old World Charm collections. Crafted from our premium Mahogany and Knotty Alder timber, these six traditional door styles evoke the rustic elegance of eras past, showcasing exceptional craftsmanship and unwavering style.

Featured Collections

Briarcliff Linville

Kenmure Porthole

Dutch Meadowlands



Enduring Elegance

Elevate your home's curb appeal with the unparalleled style and sophistication of our Enduring Elegance doors. Blending romantic wrought iron and classic, glamorous design, these collections seamlessly combine historic charm and modern luxury to create a timeless impression.

Featured Collections

Hampshire Decatur Hendersonville
Tessera or Iron with Burlwood Iron

Seville



Wood Species: Mahogany Stain Grade

Door Thickness: 1 3/4"

Unit Type: Non-Rated or DP-501

Belle Meade 6'8"

Panel: Ogee Raised Panel

*Non-operable Speakeasy Window available



E-01Door Size
3'0" x 6'8"



E-01BDoor Size
3'0" x 6'8" (R40")

6'8" Decatur Hendersonville

Panel: V-Grooved Ogee Raised Panel
*Non-operable Speakeasy Window available
See page 85 for Burlwood Iron options



E-U1Door Size
3'0" x 6'8"



E-01BDoor Size
3'0" × 6'8" (R40")

Brentwood 4LT 6'8"

Glass: Clear Beveled IG Low E

Panel/Glazing Bead: Ogee Raised, Ovolo

Lakewood 4LT 6'8"

Glass: Clear Beveled IG Low E
Panel/Glazing Bead: Ogee Raised, Ovolo
Optional Dentil Shelf: 5-Tooth



E-01Door Size 3'0" x 6'8"



E-01BDoor Size
3'0" x 6'8" (R40")



E-01Door Size
3'0" × 6'8"



E-01BDoor Size
3'0" x 6'8" (R40")

¹ DP-50 Certification for the state of Florida does not include E-01+T configurations.

Colonial 6 Panel 6'8" & 8'0"

Wood: Mahogany Stain Grade, 13/4"

Panel: Ogee Raised Panel Glass: Clear Beveled IG Low E Unit Type: Non-Rated or DP-50 ¹ **Door Size:** 3'0" x 6'8", 8'0" | **Side Lite Width:** 10", 12", and 14"

E-01+T Transom: 12", 14" | E-09 Transom: 10", 12" E-14 Transom: 21" (R78") | Glazing Bead: Ovolo





Louisburg 4LT TDL 6'8"

Wood: Mahogany Stain Grade, 13/4"

Panel: Ogee Raised Panel
Unit Type: Non-Rated or DP-50

Door Size: 3'0" x 6'8" | Side Lite Width: 10", 12", and 14" E-09 Transom: 10", 12" | E-14 Transom: 21" (R78") Glass/Glazing Bead: Clear Beveled IG Low E, Ovolo


E-09







¹ DP-50 Certification for the state of Florida does not include E-01+T configurations.





Madison 9LT TDL 6'8"

Wood: Mahogany Stain Grade, 13/4"

Panel: Ogee Raised Panel

Unit Type: Non-Rated or DP-50

Glass: Clear Beveled IG Low E

Glazing Bead: Ovolo



E-01Door Size
3'0" x 6'8"



E-01+SLDoor Size
3'0" × 6'8"

Side Lite Width
10", 12", 14"



E-03 Door Size 3'0" × 6'8" Side Lite Width 10", 12", 14"



E-09 Unit Width 12", 14" × 3'0" × 12", 14" Transom Height 12"

Old World Charm

Mahogany Doors

- Briarcliff
- Linville 6LT
- Porthole 8LT
- Dutch 4LT or 6LT

Knotty Alder Doors

- Briarcliff
- Kenmure
- Meadowlands

DP5 RATED

Briarcliff 8'0"

Wood Species: Mahogany or Knotty Alder Stain Grade
Door Thickness: 1 3/4" Panel: V-Groove Ogee Raised
Non-Operable Speakeasy Glass: Clear IG Low E
Unit Type: Non-Rated or DP-50

ACCESSORIES







E-01Door Size
3'0" x 8'0"



E-01BDoor Size
3'0" × 8'0"
(R22")

Linville 6LT TDL 8'0"

Wood Species: Mahogany Stain Grade, 1 3/4"
Glass/Glazing Bead: Clear IG Low E, Ovolo
Panel: V-Grooved Ogee Raised Panel
Optional Dentil Shelf: 3-Tooth
Unit Type: Non-Rated or DP-501



E-01Door Size
3'6" × 8'0"



E-01BDoor Size
3'6" × 8'0"
(R40")



E-17Door Size
5'4", 6'0" × 8'0"
(R78")

¹ DP-50 Certification for the state of Florida does not include 3'6" wide doors.

Kenmure 8'0"

Wood Species: Knotty Alder Stain Grade, 2 1/4"

Glass: Clear Beveled IG Low E Unit Type: Non-Rated or DP-50¹ Door Size: 3'6" x 8'0" Side Lite Width: 16" E-18B Transom Height: 24" Center (R78") Panel/Glazing Bead: V-Grooved High Country

Optional non-operable Speakeasy with Clear IG Low E glass.











E-01A (R78")

E-18 (R78") **E-18B** (R78")

¹DP-50 Certification for the state of Florida does not include 3'6" wide doors or E-18B configurations.





¹DP-50 Certification for the state of Florida does not include 3'6" wide doors. DP-50 Rated E-01C doors cannot be equipped with a multipoint locking mechanism.



Side Lite and Transom Configurations

Side Lite Width: 10", 12", 14" | E-01+T Transom: 12", 14"

E-09 Transom: 10", 12" | E-14 Transom: 21" (R78")









E-14

Dutch 4LT TDL 6'8"







Door Size: 3′0″ x 6′8″

Glass: Clear Beveled IG Low E

Glazing Bead: Ovolo

4LT Dutch Top Panel: 32"

Dutch 6LT TDL 8'0"







(R22")

Door Size: $3'0'' \times 8'0''$

Glass: Clear Beveled IG Low E

Glazing Bead: Ovolo

6LT Dutch Top Panel: 48"

Dutch Bottom Panel Options

Panel Profile: Ogee Raised Panel | Bottom Panel Height: 48" | Optional Dentil Shelf: 5-Tooth

Single Panel








Two Horizontal Panels





¹DP-50 Certification for the state of Florida does not include 3'6" wide doors. DP-50 Rated E-01C doors cannot be equipped with a multipoint locking mechanism.



Decatur Hendersonville with Burlwood Iron 6'8"

Wood Species: Mahogany Stain Grade, 1 3/4"

Door Size: 3'0" × 6'8"

Side Lite Size: 12", 14" | Transom Size: 12"

Unit Type: Non-Rated or DP-50

Glass/Glazing Bead: Clear IG Low E, Ovolo Panel: V-Grooved Ogee Raised Panel

* Also available with non-operable Speakeasy







E-01+SLB E-03B E-09B

Hampshire 8'0"

Wood Species: Mahogany Stain Grade, 1 3/4" | Door Size: 6'0" x 8'0" (R78") Panel/Glazing Bead: Ogee Raised Panel with Exterior Moulding, Ovolo

Unit Type: Non-Rated or DP-50



Wrought Iron



E-17
Door Glass
Flemish IG Low E

Tessera 1LT



E-17 Door GlassTessera with Silver
Caming



Smooth Iron



Tessera Glass

Seville 7LT 8'0"



E-01Door Size
2'8", 3'0" × 8'0"



E-04Door Size
5'4", 6'0" x 8'0"



E-07Transom Size
36" Center (R50")

Wood Species

Mahogany Stain Grade

Door Thickness 1 3/4"

Panel Style

Ogee Raised Panel with Exterior Moulding

Glass/Glazing Bead Clear Beveled IG Low E, Ovolo

Unit Type

Non-Rated or DP-50¹

¹ DP-50 Certification for the state of Florida does not include E-07 configurations.






Modern Door Unit Configurations


Direct-set side lite and transoms are available with all Modern door styles. Our premium Low E glass is directly glazed into the frame for maximum visible glass.

Direct-Set Side Lites: 12" x 6'8", 8'0"


Direct-Set Transom: 12" Glass: Clear IG Low E


Unit Type: Non-Rated or DP-501























¹ DP-50 Certification is only available for Single (E-01) and Double (E-04) doors and does not apply to direct-set glass.




ENERGY STAR RATED

Our CLPF (Cross Laminated Ply-Foam) Modern doors are Energy Star Rated, including direct-set configurations.

Energy Star Collections - Milan, Luca and Flores











Milan Solid Panel

Energy Star Rated U-Factor: 0.23

Wood Species: Mahogany Stain Grade (CLPF), 13/4"

Single Door Size: 3'0" x 6'8", 8'0" Double Door Size: 6'0" x 6'8", 8'0" Unit Type: Non-Rated or DP-50¹





Glass: Right + Left (Astragal Aligned)

Milan Thin Lite

Energy Star Rated U-Factor: 0.27

Wood Species: Mahogany Stain Grade (CLPF), 13/4" Door Glass: Sandblasted, Clear, or Fluted IG Low E

Glass Placement: Left, Right or Center

Single Door: 3'0" x 6'8", 8'0" Double Door: 6'0" x 6'8", 8'0"

Unit Type: Non-Rated or DP-50¹







Glass: Right + Left (Astragal Aligned)

Milan Wide Lite

Energy Star Rated U-Factor: 0.30

Wood Species: Mahogany Stain Grade (CLPF), 13/4"

Door Glass: Sandblasted IG Low F. Glass Placement: Left, Right or Center

Single Door: 3'0" x 6'8", 8'0" Double Door: 6'0" x 6'8", 8'0"

Unit Type: Non-Rated or DP-50¹





Glass: Center

Milan San Donato

Energy Star Rated U-Factor: 0.30

Wood Species: Mahogany Stain Grade (CLPF), 13/4" Door Glass: Sandblasted with San Donato iron

Glass Placement: Left, Right or Center

Single Door: 3'0" x 6'8", 8'0" Double Door: 6'0" x 6'8", 8'0"

Unit Type: Non-Rated or DP-50¹

¹ DP-50 Certification is only available for Single (E-01) and Double (E-04) doors and does not apply to direct-set glass.



Luca Horizontal 3LT

Energy Star Rated U-Factor: 0.27

Wood Species: Mahogany Stain Grade (CLPF), 13/4"

Door Glass: Clear or Sandblasted IG Low E

Single Door Size: 3'0" x 6'8", 8'0" Double Door Size: 6'0" x 6'8", 8'0" Unit Type: Non-Rated or DP-50¹



Luca 3LT Square

Energy Star Rated U-Factor: 0.29

Wood Species: Mahogany Stain Grade (CLPF), 13/4"

Door Glass: Clear or Sandblasted IG Low E

Single Door Size: 3'0" x 6'8", 8'0" Double Door Size: 6'0" x 6'8", 8'0" Unit Type: Non-Rated or DP-50¹



Luca Horizontal 4LT

Energy Star Rated U-Factor: 0.29

Wood Species: Mahogany Stain Grade (CLPF), 13/4"

Door Glass: Clear or Sandblasted IG Low E

Single Door Size: 3'0" x 6'8", 8'0" Double Door Size: 6'0" x 6'8", 8'0" Unit Type: Non-Rated or DP-50¹



Luca 4LT Thin

Energy Star Rated U-Factor: 0.27

Wood Species: Mahogany Stain Grade (CLPF), 13/4" Door Glass: Clear, Sandblasted, or Fluted IG Low E

Glass Placement attern H1 or H2


Single Door: 3'0" x 6'8", 8'0" Double Door: 6'0" x 6'8", 8'0"

Unit Type: Non-Rated or DP-50¹

¹ DP-50 Certification is only available for Single (E-01) and Double (E-04) doors and does not apply to direct-set glass.









Flores 4LT Square

Energy Star Rated U-Factor: 0.29

Wood Species: Mahogany Stain Grade (CLPF), 13/4"

Door Glass: Clear or Sandblasted IG Low E

Single Door Size: 3'0" x 8'0" Double Door Size: 6'0" × 8'0" Unit Type: Non-Rated or DP-50¹



Flores Diamond 3LT

Energy Star Rated

U-Factor: 0.29

Wood Species: Mahogany Stain Grade (CLPF), 13/4"

Door Glass: Clear or Sandblasted IG Low E

Single Door Size: 3'0" × 8'0" Double Door Size: 6'0" x 8'0" Unit Type: Non-Rated or DP-50¹



Flores Vertical 3LT

Energy Star Rated

U-Factor: 0.32

Wood Species: Mahogany Stain Grade (CLPF), 13/4"

Door Glass: Sandblasted or Clear IG Low E

Single Door Size: 3'0" x 8'0" Double Door Size: 60" x 8'0" Unit Type: Non-Rated or DP-50¹



Flores Diagonal 3LT

Energy Star Rated

U-Factor: 0.30

Wood Species: Mahogany Stain Grade (CLPF), 13/4"

Door Glass: and blasted IG Low E

Glass Placement: V1 or V2 | V1R or V2R (mirrored placement) Single Door Size: 3'0" x 8'0" Double Door Size: 6'0" x 8'0"

Unit Type: Non-Rated or DP-50¹

¹ DP-50 Certification is only available for Single (E-01) and Double (E-04) doors and does not apply to direct-set glass.










DIRECT-SET SIDE LITES & TRANSOMS

12" Clear IG Low E











Carlo Tri Lite 8'0"

Wood Species: Mahogany Stain Grade, 13/4" Door Glass: Sandblasted or Clear IG Low E

Glazing Bead: Craftsman

Single Door Size: 3'0", 3'6" 1 x 8'0" Double Door Size: 6'0", 7'0" 1 x 8'0" Unit Type: Non-Rated or DP-50 2



Carlo Horizontal Lite

Wood Species: Mahogany Stain Grade, 13/4"
Door Glass: Clear IG Low E Glazing Bead: N/A
Horizontal 7LT Door Size: 3'0" x 6'8" | 6'0" x 6'8"
Horizontal 8LT Door Size: 3'0" x 8'0" | 6'0" x 8'0"

Unit Type: Non-Rated or DP-50²



6'8"

7LT | 14PNL

Carlo Square Lite

Wood Species: Mahogany Stain Grade, 13/4"

Door Glass: Clear IG Low E Glazing Bead: N/A

Glass Placement: Hinge or Strike-aligned

Panel Profile: Flat Recessed Panel

Square 6LT-12PNL Door Size: $3'0'' \times 6'8'' \mid 6'0'' \times 6'8''$ Square 7LT-14PNL Door Size: $3'0'' \times 8'0'' \mid 6'0'' \times 8'0''$

Unit Type: Non-Rated or DP-50²

8'0"

¹ Direct-set transoms are only available standard for configurations with 3'0" or 6'0" wide doors.

² DP-50 Certification is only available for Single (E-01) and Double (E-04) doors and does not apply to direct-set glass. 3'6" doors are not certified for the state of Florida.



Modern Door Pulls

Round Pull Bar

32", 48" or 71"

Square Offset

72"

Door Pull Finishes

Black or Satin Nickel




Lock & Trim Options

Not available for DP-Rated units.

Deadbolt + Roller Catch

DSA offers a standard or smart deadbolt option, with a roller catch, which replaces a traditional latching handle, to secure the door in place when closed. The roller catch is mortised into the top of the active door panel, with the option of additional catches being applied on the strike side of the door, upon request.



Multipoint Lock with Profile Cylinder

The GU® Secury™ Automatic lock is available with a European profile cylinder, versus a traditional handle, which disengages the multipoint lock latches, when an external key, or the interior thumbturn, is turned away from the strike. DSA offers both a standard and smart cylinder option with the GU multipoint lock.

The standard profile cylinder requires a key to open the door from the exterior, even when the deadbolt is not engaged.



Deadbolt + Roller Catch 23/8" or 23/4" backset | Black or Satin Nickel finishes







For more information on EMTEK's EMPowered™ smart lock, please see page 129 in this catalog.







Digital

Multipoint Lock with Profile Cylinder

3 GU[®] Secury[™] with Standard European Profile Cylinder

2 3/8" backset | Round or Square Rosette in Black or Satin Nickel finishes





Square



Round

For more information on the GU multipoint locking system and the Danalock V3 see page 127.



2 3/8" backset | Round or Square Rosette in Black or Satin Nickel finishes

DANAPAD V3

Exterior mounted keypad included for three types of entry: smart phone, key, or keypad pin.







Square



Round





European profile cylinder for the Danalock V3 is only available in Satin Chrome.



FULL VIEW COLLECTIONS



DSA's Full View collections include Florida Certified non-Impact, DP-50 Bifold doors and our trending Slimline doors. Constructed of acetylated Accoya® and backed by a 5-year limited warranty, our Full View collections were designed with the modern home in mind, offering a range of options and sizes, superior and durable construction, and Energy Star Ratings to meet ever-changing building code requirements, as well as consumer needs.

To find out more about the benefits of Accoya and our warranty guidelines, visit us at www.DSADoors.com/Accoya.



BIFOLD DOORS

These generous units allow for an abundance of natural light, while our argon filled Low-E glass repels heat, to ensure a comfortable indoor environment. DSA Bifold doors and frames are constructed of Accoya®, an acetylated timber, resistant to swelling and shrinking, ensuring enduring performance in even the most humid of environments.

All three bifold unit sizes are Florida certified and equipped with premium Centor® bifolding hardware and a four-point lock, installed on the active door panel.





Wood Species: Accoya® Stain Grade, 21/4" Door Glass: Clear IG Low E with Argon gas

Swing: Outswing only Unit Type: DP-50 Rated

Energy Star Rated U-Factor: 0.28

Bifold Hardware: Centor® E3

Multipoint Lock: GU® Europa™ Rhino-Hoook Bolt Bifold Frame: 57/8" or 69/16" jamb depth, Accoya

Brickmould or interior casing must be custom ordered for bifold units.

Bifold Configurations 8'0"

W-9 | 3 Leaf





3L Outswing

Nominal Unit Size: 9'0" × 8'0" *Frame Size:* 106 3/4" × 98 3/4"

Allegro Lever Set




Active lever and trim available for Bifold Doors in Satin Nickel or Black finishes. *Dummy/Passive not applicable.*

W-12 | 4 Leaf




Nominal Unit Size: 12'0" x 8'0" Frame Size: 141 3/8" x 98 3/4"





W-16 | 5 Leaf




Nominal Unit Size: 16'0" x 8'0" Frame Size: 187 1/2" x 98 3/4"





Centor® E3 Bifolding Door Hardware





SLIMLINE

Wood Species: Accoya® Stain Grade, 13/4"

Unit Type: Non-Rated

Energy Star Rated U-Factor: 0.28

DSA Slimline doors are a high-performance collection of premium full view units, constructed with acetylated Accoya® and glazed with our low-emissivity glass. Available in two base models, with 24 different style selections, our Slimline collection offers a wide range of options, superior durability, energy efficiency, and require no overhang, in addition to being backed by a 5-year limited warranty.

MODEL A 8'0"




MODEL B 8'0"



Select your Door Base Model and your Door Style: Full Glass, featuring etched glass designs, Classic or Modern SDL grids, and Wide or Thin SDL Horizontal lites.

DIRECT-SET CONFIGURATIONS

Direct-Set Side Lites & Transom: 12", Clear IG Low E



Direct-set side lites and transoms are available for Model A and B doors.

All Slimline configurations are Energy Star Rated, except etched door glass styles.



MODEL A

- Narrow 3 1/2" stiles with 4 1/2" top and bottom rails.
- Slim GU® Secury™ active Multipoint lock with narrow backset included with Model A doors.

Model A not suitable for standard bore prep.

- Primed FrameSaver™ jambs and brickmould.
- Prepped with concealed hinges in Black or Satin Nickel finish.



MODEL B

- Narrow 3 1/2" stiles with 4 1/2" top and bottom rails.
- Drawn-out active stile suitable for most industry standard hardware and prep, including double bore and tubular entry sets.

Multipoint lock sold separately for Model B.

- Primed FrameSaver™ jambs and brickmould.
- Prepped with concealed hinges in Black or Satin Nickel finish.

SDL GRID STYLES

SDL (Simulated Divided Lite) grids are applied directly to the glass.



Classic



Modern



Thin



Horizontal Wide

Thin SDL (7/8")



Wide SDL (3 1/4")



CONCEALED HINGES

Heavy duty hinges, hidden from view on both sides of the door, provide clean lines suitable for a sleek, modern aesthetic.



PRIMED FRAMSAVER™

Endura primed FrameSaver jambs and 180 Brickmould, paired with DSA's Slimline collection, ensure the longevity of your door unit.





GU® SECURY™ SLIM MULTIPOINT LOCK

Euro Cylinder Below Lever | 3 5/8" center-to-center | Active Lock only

MODEL A: 13/4" backset - included with active door (required)

MODEL B: 2 3/8" or 1 3/4" backset - optional (not included)

EMTEK™ SLIM LEVER 1 1/2" x 11" Brass Trim | EMTEK Configuration #5 | Active & Dummy



GU® SECURY™ & BELCANTO LEVER (Smart Lock)

American Cylinder Above Lever | 3 $^{5/8}$ " center-to-center | Active Lock only

MODEL B: 2 3/8" backset; optional (not included)

See page 126 for more information on Danalock V3 smart lock for GU 3-Point Lock and Belcanto lever.







SLIMLINE *FULL GLASS*

MODEL A + MODEL B

Wood: Accoya® Stain Grade, 13/4"

Door Size: 3'0", 6'0" x 8'0"

Energy Star Rated U-Factor: 0.28


* CLEAR GLASS ONLY




CLEAR IG Low E with Argon gas




PLAZA IG Low E




ABSTRACT IG Low E



MADRID IG Low E




CONFIGURATIONS 12" Side Lites and Transoms | Clear IG Low E







CONFIGURATIONS 12" Side Lites and Transoms | Clear IG Low E



SLIMLINE CLASSIC GRID

Wood: Accoya® Stain Grade, 13/4"


Door Size: 3'0", 6'0" x 8'0"

Glass: Clear IG Low E with Argon gas


Energy Star Rated U-Factor: 0.28



MODEL A



MODEL B



SLIMLINE MODERN GRID

Wood: Accoya® Stain Grade, 13/4"


Door Size: 3'0", 6'0" x 8'0"

Glass: Clear IG Low E with Argon gas


Energy Star Rated U-Factor: 0.28



MODEL A




MODEL B




^{*} Oxford grid design available in V1 (top aligned) and V2 (bottom aligned) lite configurations


CONFIGURATIONS 12" Side Lites and Transoms | Clear IG Low E







CONFIGURATIONS 12" Side Lites and Transoms | Clear IG Low E



SLIMLINE HORIZONTAL THIN

Wood: Accoya® Stain Grade, 13/4"


Door Size: 3'0", 6'0" x 8'0"

Glass: Clear IG Low E with Argon gas


Energy Star Rated U-Factor: 0.28



MODEL A



MODEL B



SLIMLINE HORIZONTAL WIDE

Wood: Accoya® Stain Grade, 13/4"


Door Size: 3'0", 6'0" x 8'0"

Glass: Clear IG Low E with Argon gas


Energy Star Rated U-Factor: 0.28




MODEL A



MODEL B



CONFIGURATIONS 12" Side Lites and Transoms | Clear IG Low E





STAIN COLORS

DSA offers a proprietary, custom blend of water-based stain colors, carefully curated to highlight the natural beauty of our timber. When a factory finish is selected, our team of master artisans carefully sand and prepare each stain grade door component, before applying the stain color of your choice. All factory finished units are sealed with three coats of low-sheen semigloss clear coat.

Coco - The darkest shade available for our Mahogany and Knotty Alder doors. Coco is a deep, dark brown that can appear as warm black in natural light, accenting beautiful espresso undertones.

Ebony - Only offered for our Accoya doors, Ebony is a neutral black stain that looks solid from a distance, while accenting the natural grain of Accoya.

Parchment - Our newest color offering, Parchment is a warmer slate gray on Mahogany and Knotty Alder, with natural wood tones peaking through, and a cool, blue undertoned gray on Accoya.

Cinnamon - A medium brown with vibrant red undertones, exhibiting varying degress of intensity, influenced by each timber's natural tone.

Chestnut - A rich, warm medium-dark brown offered for Mahogany and Knotty Alder units, Chestnut is a timeless stain color for wood doors and a DSA customer favorite.

Russet - Our lightest stain color available for Mahogany and Knotty Alder doors, Russet is a medium-light brown with warm red and golden undertones.







KNOTTY ALDER

ACCOYA®








Parchment

Parchment

Parchment







Cinnamon







Chestnut



Chestnut





Russet



Russet



Find out more about how to maintain your DSA wood door online at www.



Stain color may vary from door to door due to natural variegation in wood veneer. Stain samples are available and advised, for final color selection, before ordering factory pre-finish.

DSA exterior doors are offered with premium soft-coated Low E glass. Additional glass options, not offered in our standard door collections, are available through our Custom Department with an extended lead time.

GLASS OPTIONS



Clear
Privacy Rating: 1



Clear Beveled
Privacy Rating: 1



Clear Seedy Privacy Rating: 3



Clear Baroque Privacy Rating: 4



Flemish
Privacy Rating: 5



Seedy Baroque Privacy Rating: 5



Fluted
Privacy Rating: 6



Bamboo Privacy Rating: 7



Gluechip Privacy Rating: 7



Misty Creek
Privacy Rating: 8



Rain
Privacy Rating: 8



Grain
Privacy Rating: 8



Digital
Privacy Rating: 8



Sandblasted Privacy Rating: 9



White Laminated
Privacy Rating: 9



Tessera
Trinity, Wakefield, and Hampshire

CASING **PROFILES**

All Mahogany and Knotty Alder door units are offered with 180 or S4S exterior brickmould. Interior casing, or other brickmould profiles, are available as a premium upgrade.



Williamsburg (1 1/4" x 3 1/4")



470 (1" × 3^{5/8}")



Lafayette (1 5/8" × 4 5/8")









S4S (1 1/8" x 3 1/2")








RB3 (1 1/4" x 3 1/2")



3 1/2"



DSA doors feature an 11-ply floating panel, designed to withstand temperature fluctuations and allow for natural expansion and contraction of the wood. DSA signature panels are also constructed using vertically grained timber, for a high-end aesthetic.

PANEL PROFILES

Ogee Raised Panels



Ogee Raised Panel
Alexandria Classic, Tiffany,
Aberdeen, etc



Ogee with V-Grooves

Decatur Hendersonville,

Briarcliff, Linville



Ogee with Raised Moulding

Breezeport, Wakefield

Flat Panels

Flat Recessed Panel
Tuscany, Carlo



Plank V-Groove Panel



Modern Flat Panel

Urban

High Country Raised Panels

CUSTOMIZATION

V-grooves maybe be added to any Mahogany door with an Ogee Raised Panel.

Raised moulding can also be applied around the perimeter of the panel and glass, on the exterior and/or interior of any Mahogany door style.



High Country Raised Panel
Oconee



High Country with V-Grooves
Oconee, Keowee, Kenmure

HINGES

STANDARD HINGES



Satin Nickel 4"x4" ball-bearing, 1/4" radius Inswing and Outswing (NRP)



Oil Rubbed Bronze 4"x4" ball-bearing, 1/4" radius Inswing and Outswing (NRP)



★ Stainless Steel 4"x4" ball-bearing, 1/4" radius Inswing and Outswing (NRP)



*(SS) Oil Rubbed Bronze
4"x4" ball-bearing, 1/4" radius
Inswing and Outswing (NRP)

PREMIUM HINGES



Gloss Black 4"x4" ball-bearing, 1/4" radius Inswing only



Satin Nickel 4"x4" ball-bearing, SQ Inswing only



Flat Black 4"x4" ball-bearing, SQ Inswing only



Polished Brass 4"x4" ball-bearing, SQ Inswing only



★ Black

Concealed Hinge
Inswing and Outswing



* Satin Nickel
Concealed Hinge
Inswing and Outswing

DOOR SILLS



Adjustable Sill Dark Bronze
Non-rated | Inswing



Adjustable Sill Brushed Nickel Non-rated | Inswing



Bump Sill Dark Bronze Outswing



Bump Sill Brushed Nickel Outswing



Hydrosill™
Dark Bronze
DP-50 Rated | Inswing

^{*}Stainless Steel hinges are required for Accoya units and are only available for Mahogany and Knotty Alder as a premium upgrade.

[★] Concealed hinges come standard with Slimline doors, at no additional cost, and are not available for DP-50 Rated coastal doors. Frame width increases 1/2 inch per each outer jamb prepped with concealed hinges.

GLAZING BEAD PROFILES



Ovolo Mahogany Standard Bead




High Country Knotty Alder Standard Bead




Craftsman Tuscany Standard Bead




Modern Accoya Standard Bead




Ovolo TDL 15/8" width



High Country TDL 1 15/16" width (1 5/8" Oconee)



Craftsman TDL 17/8" width



Modern SDL 7/8" width

T-ASTRAGALS



Mahogany Ovolo T-Astragal



Knotty Alder Square T-Astragal



Accoya® Square T-Astragal

FLUSHBOLTS



Standard Black or Nickel



DP-50 Rated Black

DOOR SILLS



*ADA Sill **Brushed Nickel** Non-rated



*****ADA Sill **Dark Bronze** Non-rated



* White Oak **Inswing Sill** Non-rated | 13/4" doors

* ADA and White Oak sills are available for non-rated units, as a premium upgrade.

White Oak sills are stocked in 4 9/16" and 6 9/16" depths and custom sizes will require an extended lead time. DSA does not stain wood sills, unless requested for prefinished units, and White Oak sills are not covered under DSA's Limited Warranty.

Sill Extensions are stocked for our 4 9/16" aluminum thresholds in 1", 2", 3", and 4 5/8" sizes. ADA sills for custom jamb sizes must be special ordered and can result in an extended lead time.

[★] DP-50 Rated double doors with standard double bore prep require a "double t-astragal", increasing the unit width by an additional 1/2 inch.

MULTIPOINT LOCKS

DSA offers two 3-point Locking Mechanisms; Ashland and GU Secury. As a homeowner favorite, due to the additional security they provide, multipoint locking systems are also important for both the lifespan and structural integrity of wood doors, and are recommended for doors taller than 6'8", to prevent warpage and sagging over time.

ASHLAND MULTIPOINT LOCK



Top and Bottom Shootbolts are manually engaged by lifting the handle up 35° after closing the door.

- Non-Rated or DP-50 Rated Units
- Active and Passive Lock available
- 13/4" or 21/4" thick doors

GU® SECURY™ 3-POINT LOCK



Automatic Latchbolts engage horizontally in the jamb when the door is closed.



- Non-Rated Units
- Active Lock only
- Available for E-01C doors
- 13/4" or 21/4" thick doors

LEVER HANDLES

for Ashland and GU Multipoint

EMTEK lever and trim sets shown below are compatible with the Ashland and GU multipoint locking mechanisms.

EMTEK Configuration #4 | 3 5/8" Center-to-Center | American Cylinder Above Lever | Flat Black or Satin Nickel



PREMIUM LOCK + HANDLE SETS

Berkeley Gripset with GU Multipoint

The GU Ferco Berkeley Gripset offers an alternative handle option, when paired with a multipoint lock, in lieu of traditional lever handlesets. This premium set includes the GU Secury 3-Point Lock, specially designed for this handle's engagement, and the Berkeley gripset with the option of an Interior Lever or Interior Knob.

- Non-Rated Units
- Dummy grip available
- Schlage C keyway
- 13/4" or 21/4" thick doors





SATIN NICKEL

BLACK

NOTE: Berkeley Gripset is specifically designed for use with this GU locking mechanism. When ordered without a handle set, the compatible lever mechanism on page 124 is required. Berkeley Gripset with Interior Knob is the only multipoint lock/handle option available for the Breezeport collection.







PREMIUM LOCK + HANDLE SETS

Danalock Smart Lock for GU Multipoint

Belcanto Lever + *GU Secury™ 3-Point Lock*

Set In Dana

Set Includes: GU Multipoint, active Belcanto Lever Set prepped with the Danalock V3 smart lock, and Danabridge V3 Wifi Bridge.

- Non-Rated Units
- Active set only
- Schlage C keyway
- 13/4" or 21/4" thick doors







Berkeley Gripset + *GU Secury*™ *3-Point Lock*



Set Includes: GU Multipoint, active Berkeley Gripset prepped with the Danalock V3 smart lock, and Danabridge V3 Wifi Bridge.

- Non-Rated Units
- Dummy set available
- Schlage C keyway
- 13/4" or 21/4" thick doors

Interior Trim

Square Knob or Lever





SATIN NICKEL

BLACK



Danalock V3 **Motorized Smart** Interior Thumbturn

Danapad V3 Optional Digital Exterior Keypad

DANALOCK V3

DSA offers the Danalock V3 for select options using the GU® Secury™ 3-Point Lock. With minor alterations required, the Danalock V3 is a simple solution for homeowners seeking added security without compromising convenience or style.

What's Included:

Our Danalock handle options come with the GU 3-Point Lock, the Danalock V3, and the Danabridge V3 for remote access.

SMART LOCK FEATURES

Grant access remotely to

friends and family with **Unlimited Digital Keys.**





Danabridge V3 Wifi Bridge



Automatic Lock and Unlock for hassle-free






Remotely Control and **Connect** to your lock via Bluetooth or WiFi from your smart phone.



Enjoy the convenience of Twist Assist, a motorized function that does most of the work for you.



TUBULAR ENTRY SETS

DSA offers two EMTEK® brass tubular entry sets for standard double bore prep - Square or Full Plate. Each style comes with the option of an interior knob or lever handle, and is available in Satin Nickel or Flat Black finishes.

HANDLE SPECIFICATIONS

- 23/8" or 23/4" backset
- Available for DP-50 Rated doors
- 1³/₄" or 2¹/₄" thick doors
- Active set only
- Flat Black (US19) or Satin Nickel (US15)



Square Entry Set



Full Plate Entry Set



FRONT DOOR FRONT DOOR Open I Unlocked

Smart Control

Use the Yale Access App with your smart phone to control and access your lock remotely.

EMTEK® EMPOWERED™ Smart Lock Upgrade

Enjoy stylish design and keyless capabilities with EMTEK's EMPowered Smart Lock upgrade for tubular entry sets. Instead of fumbling for your keys, or hiding spares for guests, EMPowered allows you to conveniently use the Yale Access App on your smart phone to pair with your lock and automatically unlock the door as you approach. You can manage access from anwhere, receive an activity feed that logs all visitors, and integrate with your home automation devices easily.



DoorSense™

Includes optional sensor that tells you if your door is securely closed.



Auto Unlock

The lock will unlock as you approach by sensing your smart phone.



Auto Lock

When enabled, your door will lock behind you when you leave.



Share Access

Create entry codes and virtual keys to share with people you trust.



Voice Commands

Can pair with Alexa, Google Assistant, or Siri to control your lock with your voice.

23/8" or 23/4" backset

Flat Black or Satin Nickel

Active set only

Available for DP-50 Rated doors

Full Plate



Square Keyed



Square Digital



WARRANTY QUICK GUIDE

PREMIUM SPECIES

Mahogany and Knotty Alder

DSA's limited manufacturer warranty applies only to prehung units installed in residential homes and purchased through a verified DSA Dealer.





All units not ordered factory finished by DSA must be stained and sealed with three coats of UV top coat on all six sides of the door within 30 days.



DSA's warranty does not include damage to Mahogany or Knotty Alder doors due to application of black paint or black stain.



Mahogany and Knotty Alder doors must be installed with a sufficient overhang where there is minimal direct sunlight and shielded from the elements.



DSA does not warranty any unit installed with a glass storm door, which can capture heat and cause damage to your wood door.



Multipoint locks are recommended for doors taller than 80" to prevent potential door warpage.



In the case of a warranty concern, please submit a claim by email to Warranty@DSADoors.com



Damage caused from improper, or non-sanctioned, modifications made to DSA doors is not covered under our manufacturer's limited warranty.



Inspect your door for damage often. Clean it regularly with mild dish soap and a soft microfiber cloth. Yearly application of clear coat is recommended.

Scan to view our Standard Warranty online.



DSA doors are also backed by a **10-year warranty** on all standard **Insulated Glass**, guaranteeing each unit against seal failure and internal fogging.

HIGH PERFORMANCE

Accoya®

DSA's limited manufacturer warranty applies only to prehung units installed in residential homes and purchased through a verified DSA Dealer.





All units not ordered factory finished by DSA must be stained and sealed with three coats of UV top coat on all six sides of the door within 30 days.



Black paint and/or stain can be used on Accoya doors. Light or transparent stain colors are not recommended for Accoya.



Accoya units do not require an overhang for warranty coverage and are suitable for full-sun placement.



DSA does not warranty any unit installed with a glass storm door, which can capture heat and cause damage to your wood door.



Multipoint locks are recommended for doors taller than 80" to prevent potential door warpage.



In the case of a warranty concern, please submit a claim by email to Warranty@DSADoors.com



Damage caused from improper, or non-sanctioned, modifications made to DSA doors is not covered under our manufacturer's limited warranty.



Inspect your door for damage often. Clean it regularly with mild dish soap and a soft microfiber cloth. Yearly application of clear coat is recommended.





